

| | | |
|--|---|----------------------------|
| Department | Standard Components | Room Tag: 1390 |
| Room Name | Bay - Beverage, Enclosed | Room Code: BBEV-ENC |
| Net Room Area Briefed | 5.0 M2 | |
| No of Rooms | 1 | |
| Subtotal of Briefed Area | 5.00 M2 | |
| Hours of Operation | 24 Hours | |
| Occupancy | 1-2 intermittently | |
| Also covers these Rooms | | |
| Description/ Special Requirements | <p>The Beverage Bay is an area for preparing and/or heating refreshments, snacks and some meals, washing some utensils, storing food and drink and disposing of food waste (in accordance with food hygiene requirements). It should also provide space for a meal tray collection trolley. If an instantaneous boiling water unit is provided, it should be hardwired and access restricted as required.</p> <p>The Beverage Bay may be located with ready access to patient areas, staff rooms, or meeting rooms. The Beverage Bay should be adequately recessed to avoid encroachment into the corridor.</p> | |
| Amendment | <p>10.10.03, - First Draft 08.02.05, - BOB User review; description modified 15.12.08, - 2008 AUSHFG Review; description, fabric, FF, FE & services modified</p> | |

Room Fabric and outline specifications

| ID | Fabric | Material | Finish | Specification | Selection | Remarks |
|------|-----------------|-------------------|-------------------------|--------------------------------|-----------|--|
| 5060 | Ceiling | Acoustic | Prefinished | Drop-in tiles, 600x1200 | | |
| 6030 | Cornice | Aluminium | Powdercoat | 24mm shadow angle | | |
| 8012 | Door protection | Composite | Prefinished PVC | Protection plate to 1200AFFL | | optional |
| 9004 | Doors | Solid Core/ Glass | Paint | Single leaf, observation panel | | 910mm clear opening |
| 1000 | Floor finish | Vinyl | Standard slip resistant | Seamless, coved | | |
| 2000 | Skirting | Vinyl | Prefinished | Floor vinyl coved, 150 mmH | | |
| 3000 | Wall finish | Paint | Acrylic, washable | | | |
| 3060 | Wall finish | Vinyl | Prefinished | Splashback | | to full length of bench, Default: = vinyl, tiles also acceptable |

Fittings and Furniture (FF)

| ID | Description | Category | Group | Qty | Selection / Remarks |
|------|------------------------------|--------------------|-------|-----|---|
| 1050 | Bench: laminate | Furniture/ Fitting | 1 | 1 | with inset sink/ drainer |
| 4430 | Cupboard: drawer unit | Furniture/ Fitting | 1 | 1 | under bench |
| 4410 | Cupboard: under bench | Furniture/ Fitting | 1 | 1 | lockable as required |
| 4460 | Cupboard: wall mounted | Furniture/ Fitting | 1 | 1 | above bench, adjustable shelf; lockable as required |
| 6154 | Dispenser: paper/ hand towel | Furniture/ Fitting | 2 | 1 | to sink |
| 6156 | Dispenser: soap | Furniture/ Fitting | 2 | 1 | to sink |

Department **Standard Components**
 Room Name **Bay - Beverage, Enclosed**

Room Tag: **1390**
 Room Code: **BBEV-ENC**

| ID | Description | Category | Group | Qty | Selection / Remarks |
|-------|------------------------------|--------------------|-------|-----|----------------------|
| 19990 | Shelving unit: microwave | Furniture/ Fitting | 1 | 1 | over bench, optional |
| 23910 | Trolley: tray | Furniture/ Fitting | 3 | 1 | meal tray collection |
| 24105 | Waste bin: fliptop, 20 Litre | Furniture/ Fitting | 3 | 1 | under bench |

Fixtures, Equipment and associated Services (FE)

| ID | Description | Group | Qty | Ele | Data | CdW | HtW | WmW | Tap | Dns | Gas | Selection / Remarks |
|-------|-----------------------------------|-------|-----|-----|------|-----|-----|-----|-----|-----|-----|---|
| 5000 | Boiling water unit: 5 Litre | 1 | 1 | yes | ___ | yes | ___ | ___ | yes | yes | ___ | restrict access as required or provide underbench lockable unit |
| 26801 | Dispenser: ice | 1 | 1 | yes | ___ | yes | ___ | ___ | ___ | yes | ___ | optional; selection of model to comply with infection control requirement |
| 35400 | Oven: microwave, domestic | 3 | 1 | yes | ___ | ___ | ___ | ___ | ___ | ___ | ___ | optional |
| 44100 | Refrigerator: 250 Litre, domestic | 3 | 1 | yes | ___ | ___ | ___ | ___ | ___ | ___ | ___ | or underbench refrigerator |
| 47890 | Sink & drainer: single, 930mmL | 1 | 1 | ___ | ___ | yes | opt | opt | yes | yes | ___ | lever taps, provide warm water |

Services

| ID | Description | Service Category | Qty | Selection / Remarks |
|------|---------------------|------------------|-----|---|
| 5000 | Airconditioning | HVAC | | |
| 6000 | General fluorescent | Lighting | | |
| 9001 | GPO: Double | Power | 1 | above bench |
| 9000 | GPO: Single | Power | 4 | fridge; boiling water unit; m/wave, ice machine |