

|  |  |                        |
|--|--|------------------------|
| <b>Department</b>                        | <b>Standard Components</b>   | <b>Room Tag: 1610</b>  |
| <b>Room Name</b>                         | <b>Bay - PPE (Personal Protective Equipment)</b>   | <b>Room Code: BPPE</b> |
| <b>Net Room Area Briefed</b>             | 0.5 M2   |                        |
| <b>No of Rooms</b>                       | 1  |                        |
| <b>Subtotal of Briefed Area</b>          | 0.50 M2  |                        |
| <b>Hours of Operation</b>                | 24 Hours   |                        |
| <b>Occupancy</b>                         | N/A  |                        |
| <b>Also covers these Rooms</b>           |  |                        |
| <b>Description/ Special Requirements</b> | A bay for the storage of personal protection equipment such as gloves, gowns, overshoes and masks for infection control purposes. The bay may be located with the handwash Bay, immediately outside Isolation Rooms of all types or outside patient rooms. One PPE Bay may be shared by 2 rooms. |                        |
| <b>Amendment</b>                         | 31.10.03, - First Draft<br>15.12.08, - 2008 AUSHFG Review;area & description modified; FF & services modified  |                        |

**Room Fabric and outline specifications**

| ID   | Fabric          | Material     | Finish                  | Specification              | Selection | Remarks                         |
|------|-----------------|--------------|-------------------------|----------------------------|-----------|---------------------------------|
| 5010 | Ceiling         | Plasterboard | Paint, washable         | Flush set, suspended       |           |                                 |
| 6030 | Cornice         | Aluminium    | Powdercoat              | 24mm shadow angle          |           |                                 |
| 1000 | Floor finish    | Vinyl        | Standard slip resistant | Seamless, coved            |           |                                 |
| 2000 | Skirting        | Vinyl        | Prefinished             | Floor vinyl coved, 150 mmH |           |                                 |
| 3000 | Wall finish     | Paint        | Acrylic, washable       |                            |           |                                 |
| 4020 | Wall protection | Composite    | Prefinished PVC         | Crash rail at 900 AFFL     |           | equal to 'Acrovyn'              |
| 4031 | Wall protection | Composite    | Prefinished PVC         | Corner guards to 1500 AFFL |           | as required; equal to 'Acrovyn' |

**Fittings and Furniture (FF)**

| ID    | Description                   | Category           | Group | Qty | Selection / Remarks          |
|-------|-------------------------------|--------------------|-------|-----|------------------------------|
| 6152  | Dispenser: disposable glove   | Furniture/ Fitting | 2     | 1   |                              |
| 6159  | Dispenser: goggles            | Furniture/ Fitting | 2     | 1   |                              |
| 6157  | Dispenser: medicated hand gel | Furniture/ Fitting | 2     | 1   | optional                     |
| 13700 | Mirror                        | Metalwork          | 1     | 1   |                              |
| 20015 | Shelving unit: PPE            | Furniture/ Fitting | 1     | 1   | for gloves, gowns, masks etc |
| 23950 | Trolley                       | Furniture/ Fitting | 3     | 1   |                              |

**Fixtures, Equipment and associated Services (FE)**

**Services**

| ID   | Description     | Service Category | Qty | Selection / Remarks           |
|------|-----------------|------------------|-----|-------------------------------|
| 5000 | Airconditioning | HVAC             |     | consistent with adjacent area |

Department

Standard Components

Room Tag: 1610

Room Name

Bay - PPE (Personal Protective Equipment)

Room Code: BPPE

| ID   | Description         | Service Category | Qty | Selection / Remarks           |
|------|---------------------|------------------|-----|-------------------------------|
| 6000 | General fluorescent | Lighting         |     | consistent with adjacent area |