

Department	Standard Components	Room Tag: 1620
Room Name	Bay - Public Telephone	Room Code: BPH
Net Room Area Briefed	2.0 M2	
No of Rooms	1	
Subtotal of Briefed Area	2.00 M2	
Hours of Operation	24 Hours	
Occupancy	1 - 2	
Also covers these Rooms		
Description/ Special Requirements	A bay with provision for public telephones; Access should be provided for persons with disabilities. The Public Telephone Bay should be located with ready access to waiting areas.	
Amendment	24.02.05, - First Draft 15.12.08, - 2008 AUSHFG Review; area & description modified; FF, FE & services modified	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, covered		Default = vinyl: or consistent with adjacent space
2000	Skirting	Vinyl	Prefinished	Floor vinyl covered, 150 mmH		Default = vinyl: or consistent with adjacent space
3000	Wall finish	Paint	Acrylic, washable			
4031	Wall protection	Composite	Prefinished PVC	Corner guards to 1500 AFFL		as required, equal to 'Acrovyn'

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1050	Bench: laminate	Furniture/ Fitting	1	1	at disabled access height
16840	Partitions: laminate	Furniture/ Fitting	1	1	between telephone bays if more than one bay is required

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection / Remarks
41900	Telephone: public	3	1	yes	yes	___	___	___	___	___	___	

Services

ID	Description	Service Category	Qty	Selection / Remarks
1011	Telephone: public phone	Communications	1	
5000	Airconditioning	HVAC		consistent with adjacent space
6000	General fluorescent	Lighting		consistent with adjacent space
9000	GPO: Single	Power	1	