

Department	Standard Components	Room Tag: 1760
Room Name	Change - Staff (Male/Female), 10m2	Room Code: CHST-10
Net Room Area Briefed	10.0 M2	
No of Rooms	1	
Subtotal of Briefed Area	10.00 M2	
Hours of Operation	24 Hours	
Occupancy	Up to 3	
Also covers these Rooms		
Description/ Special Requirements	Staff Change areas are provided for staff to change into appropriate work clothing or gowns, to store their street clothing and to perform personal ablutions. Change Rooms should be divided into Male and Female areas on a proportional basis and will include Showers, Toilets and handbasins. Secure storage for personal property should be provided. Secured, staff only access to Change Rooms is required.	
Amendment	Acoustics: Sound attenuation level - medium; acoustic privacy required. 24.01.05, - First Draft 15.12.08, - 2008 AUSHFG Review, Description, FF & FE amended	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5023	Ceiling	Plasterboard	Prefinished	Water resistant, drop in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high		
9001	Doors	Solid Core	Paint	Single leaf		910mm clear; Secure staff only access
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved		Default = vinyl: tiles also acceptable
1025	Floor finish	Vinyl, non slip	Studded	Seamless, coved		to shower, Default = vinyl: tiles also acceptable
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH		Default = coved vinyl: or tiled skirting to tiled floor
3000	Wall finish	Paint	Acrylic, washable			
3070	Wall finish	Vinyl	Prefinished	Wall vinyl full height		to wet areas, Default = vinyl: tiles also acceptable
3060	Wall finish	Vinyl	Prefinished	Splashback		Default = vinyl: tiles also acceptable

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
1000	Bench seat	Furniture/ Fitting	1	1	to shower cubicle
1000	Bench seat	Furniture/ Fitting	3	1	under lockers
3350	Clock: battery operated	Furniture/ Fitting	3	1	
3400	Coathook	Metalwork	1	2	WC / Shower cubicles
4800	Curtain track: shower	Metalwork	1	1	
5300	Curtain: shower	Furniture/ Fitting	3	1	
6154	Dispenser: paper/ hand towel	Furniture/ Fitting	2	1	to basin

Department **Standard Components**
 Room Name **Change - Staff (Male/Female), 10m2**

Room Tag: **1760**
 Room Code: **CHST-10**

ID	Description	Category	Group	Qty	Selection / Remarks
6156	Dispenser: soap	Furniture/ Fitting	2	1	to basin
6160	Dispenser: toilet paper	Furniture/ Fitting	1	1	
12300	Linen carrier: dirty, single	Furniture/ Fitting	3	1	
12509	Locker: 2 tier	Furniture/ Fitting	3	6	12 half lockers
13700	Mirror	Metalwork	1	1	full height, dressing
13700	Mirror	Metalwork	1	1	above basin
20055	Partitions: shower	Furniture/ Fitting	1	1	
23610	Partitions: toilet	Furniture/ Fitting	1	1	
19910	Shelf: vanity	Furniture/ Fitting	1	1	above basin
20650	Soap/ shampoo holder	Furniture/ Fitting	1	1	to shower cubicle
24100	Waste bin: paper, 20 Litre	Furniture/ Fitting	3	1	to basin
19100	Waste bin: sanitary	Furniture/ Fitting	3	1	to Female Change Rooms

Fixtures, Equipment and associated Services (FE)

ID	Description	Group	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Selection / Remarks
2850	Basin: handwash, Type C	1	1	___	___	yes	___	yes	yes	yes	___	refer to BHWS-C (sim), single lever mixer tap
47500	Shower: fixed rose	1	1	___	___	yes	___	yes	yes	yes	___	with adjustable shower head
55600	Toilet suite: standard	1	1	___	___	yes	___	___	yes	yes	___	

Services

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
5019	Exhaust	HVAC		
4033	Floor waste	Hydraulics	2	
6000	General fluorescent	Lighting		
9001	GPO: Double	Power	1	
10020	Card access	Security	1	or keypad, on entry door from corridor