

Room Name | **ADL Bathroom**

Room Number: ADLB

Last modified	01/03/2016
Briefed Area	12.00
Remarks	
Occupancy	1 patient; 1 - 2 staff assisting
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	Sound attenuation level medium, Acoustic privacy is required.
Description / Special Requirements	A bathroom for patient 'Activities of Daily Living' assessment and training. The ADL Bathroom provides for training of patients to use a domestic bath and shower, patient dressing, undressing, grooming and handwashing. Facilities include a domestic bath installed in a corner of the room, toilet and handbasin and a separate shower within the room. A low height adjustable shower is required over the bath. Additional Design Requirements:- The shower area must not have a raised, fixed hob.- The entrance to the bathroom is to be flush with the adjoining corridor.- The door is to be fitted with escape hardware. Acoustics: sound attenuation level - medium high. Acoustic privacy required. Body protected electrical area.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
2526	Floor finish	Vinyl	Non-slip	Seamless coved	Significant change in colour from adjacent Corridor to be avoided. Suitable for barefeet.
3070	Wall finish	Vinyl	Prefinished	Wall vinyl full height	to shower area, tiles also acceptable
5023	Ceiling - Plasterboard	Plasterboard	Prefinished	Water resistant, drop in tiles, 600x1200	Water resistant flush set suspended ceiling is also acceptable
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	
8040	Door protection	Composite	Prefinished PVC	To door frame	Optional. To be decided at project level
9110	Door - 1400mm	Solid Core	Paint	1 1/2 leaf	1350mm clear opening, privacy latch
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-13700	Mirror	1	1	above basin
FF-13800	Mirror - full length	1	1	dressing
FF-19100	Waste bin - sanitary	3	1	Optional, depends on Waste Management Policy.
FF-19910	Shelf - vanity	1	1	Or integrated with handbasin.
FF-20650	Soap / shampoo holder	1	2	
FF-2300	Chair - shower	3	1	Or commode chair or combined shower/ commode chair.
FF-23700	Towel rail	1	1	With grab rail fixings.
FF-23865	Transfer bench	3	1	portable - not fixed, near bath

Room Name | ADL Bathroom

Room Number: ADLB

AusHFG code	Description	Group	Qty	Comments
FF-3400	Coathook	1	2	1 @ 1000H
FF-4800	Curtain track - shower (90deg)	1	1	Optional, depends on infection control policy.
FF-5300	Curtain - shower	3	1	Optional, depends on infection control policy.
FF-6154	Dispenser - paper/ hand towel	2	1	to basin
FF-6156	Dispenser - soap	2	1	To basin. Optional for shower and bath areas.
FF-6160	Dispenser - toilet paper	1	1	On hinged rail.
FF-8450	Grab rail - Shower	1	1	Combined with hand held shower.
FF-8500	Grab rail - WC, hinged	1	2	Drop down rails both sides of WC. 1 x toilet paper dispenser, 1 x NC.
FF-5824	Waste bin - general	3	1	

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-3201	Bath - domestic	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Warm water.
FE-47400	Shower - hand-held	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	To shower, short lever taps.
FE-47400	Shower - hand-held	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Optional. Low level over bath.
FE-55605	Toilet suite - patient	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
FE-5603	Basin - ensuite	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	With integral shelf for patient belongings or separate shelf. Tapware: mixer, fixture mounted.
FE-40406	Tapware - shower mixer	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Service Requirements

AusHFG code	Description	Comments
S-9040	Body protected	
S-5015	Ventilation	
S-5019	Exhaust	to rangehood
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	1	
S-9040	Body protected	1	1	

Room Name | ADL Bathroom
Room Number: ADLB

AusHFG code	Description	Group	Qty	Comments
S-4033	Floor waste	1	2	
S-5015	Ventilation	1	1	
S-5019	Exhaust	1	1	to rangehood
S-6000	General fluorescent	1	1	
S-6200	Light switches	1	1	
S-8000	Patient/ Staff call	1	3	+ indicator button & light
S-8080	Emergency call	1	1	+ indicator button & light
S-1951	Staff assist call	1	2	+ indicator button & light