

Room Name | Bay - Emergency Shower

Room Number: BES

Last modified	01/03/2016
Briefed Area	0.00
Remarks	
Occupancy	1
Hours of Operation	<input checked="" type="checkbox"/> Available 24 Hours
Acoustics	
Description / Special Requirements	An unobstructed and accessible area with an emergency shower and eyewash equipment for staff who have been contaminated with toxic and/orcorrosive substances.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
2526	Floor finish	Vinyl	Non-slip	Seamless coved	
3035	Wall finish	Vinyl	Prefinished	Wall vinyl full height	
2670	Wall protection			Corner guards to 900 AFFL minimum	
5021	Ceiling - Plasterboard	Plasterboard	Paint, washable	Water resistant, flush set, suspended	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-6188	Safety shower / eyewash combination	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Service Requirements

AusHFG code	Description	Comments
S-5015	Ventilation	
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-4033	Floor waste	1	1	
S-5015	Ventilation	1	1	
S-6000	General fluorescent	1	1	