

Room Name | Bay - Flowers, Enclosed

Room Number: BFLW-ENC

Last modified	01/03/2016
Briefed Area	4.00
Remarks	
Occupancy	1 intermittently
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	Acoustic privacy is required
Description or Special Requirements	An enclosed Bay for staff, relatives or visitors to fill or empty vases, and to arrange and dispose of flowers. It should include a deep sink, storage for vases and a waste bin for disposal of spent flowers. The Flower Bay will have direct access to the Unit corridor. Acoustics: Acoustic privacy required

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
3060	Wall finish	Vinyl	Prefinished	Splashback	Default: = vinyl, tiles also acceptable
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	Optional; Equal to 'Acrovyn'
8040	Door protection	Composite	Prefinished PVC	To door frame	Optional; Equal to 'Acrovyn'
9004	Door - 1100mm	Solid Core/ Glass	Paint	Single leaf, observation panel	910mm clear opening, lockable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-1050	Bench - laminate	1	1	open under part for bin
FF-20000	Shelving unit - adjustable	1	2	above bench for storing vases
FF-20015	Shelving unit - PPE	1	1	
FF-4410	Cupboard - under bench	1	1	adjustable shelf
FF-6154	Dispenser - paper/ hand towel	2	1	to sink
FF-6156	Dispenser - soap	2	1	to sink
FF-8185	Trolley - flowers	3	1	
FF-5824	Waste bin - general	3	1	under bench

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-47890	Sink & drainer - single, 930mmL	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	deep sink; short lever taps, provide warm water
FE-4045	Tapware - elbow mixer		1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Room Name | Bay - Flowers, Enclosed

Room Number: BFLW-ENC

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments

Service Requirements

AusHFG code	Description	Comments
S-5015	Ventilation	
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double		1	
S-5015	Ventilation		1	
S-6000	General fluorescent		1	
S-6200	Light switches		1	