

Room Name | Bay - Handwashing, Type A

Room Number: BHWS-A

Last modified | 01/03/2016
Briefed Area | 1.00
Remarks
Occupancy | 1
Hours of Operation | 24 Hours
Acoustics
Description / Special Requirements

A bay off or within a patient bedroom/treatment area, with handwashing facilities for staff to cleanse their hands before and after every patient contact. Type A refers to a Clinical Scrub basin (large) with non-touch taps. Bay height to be consistent with adjacent doorway height.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
2675	Floor finish	Vinyl, non slip		Seamless coved	Significant change in colour to be avoided.
3000	Wall finish	Paint	Acrylic, washable		
2708	Wall finish			Splashback to basin	Selection of material to comply with Part D Infection Prevention and Control AusHFG.
2670	Wall protection			Corner guards to 900 AFFL minimum	Align heights of corner guards with other corridor elements
5010	Ceiling - Plasterboard	Plasterboard	Paint, washable	Flush set, suspended	Acoustic tiles acceptable.
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-6152	Dispenser - disposable glove	2	1	
FF-6154	Dispenser - paper/ hand towel	2	1	
FF-6156	Dispenser - soap	2	1	
FF-6158	Dispenser - soap antiseptic	2	1	
FF-5824	Waste bin - general	3	1	

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-3100	Basin - scrub, Type A	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Elbow action lever taps or hands-free taps optional. Tap placement should allow washing up to the elbow.

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	

Room Name | Bay - Handwashing, Type A

Room Number: BHWS-A

AusHFG code	Description	Comments
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	
S-1983	General fluorescent downlights	1	1	