

Room Name | Bay - Handwashing, PPE

Room Number: BHWS-PPE

Last modified | 01/03/2016
Briefed Area | 1.50
Remarks
Occupancy | 1
Hours of Operation | 24 Hours
Acoustics
Description / Special Requirements

An area off the corridor, which may be a recessed bay, with handwashing facilities for staff to cleanse their hands before and after every patient contact and for the storage of PPE equipment. The PPE bay will include a medium handbasin (Type B) with elbow action lever taps or handsfree (optional) for procedural handwashing; taps may be basin mounted or wall mounted.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
2526	Floor finish	Vinyl	Non-slip	Seamless coved	
3000	Wall finish	Paint	Acrylic, washable		
4031	Wall protection	Composite	Prefinished PVC	Corner guards to 1500 AFFL	as required, equal to 'Acrovyn'
2906	Wall finish			Splashback behind basin	
2535	Wall protection			Corner guards to 900 AFFL	
5010	Ceiling - Plasterboard	Plasterboard	Paint, washable	Flush set, suspended	Acoustic tiles acceptable.
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-20015	Shelving unit - PPE	1	1	for gowns, masks etc
FF-6152	Dispenser - disposable glove	2	1	
FF-6154	Dispenser - paper/ hand towel	2	1	
FF-6156	Dispenser - soap	2	1	
FF-6158	Dispenser - soap antiseptic	2	1	
FF-6163	Dispenser - mask	3	1	Optional, PPE
FF-5861	Dispenser - gown/apron	2	1	
FF-6153	Dispenser - moisturiser	2	1	Optional. Depends on Operational Policy.
FF-5830	Dispenser - antiseptic hand rub	2	1	
FF-5824	Waste bin - general	3	1	

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-2800	Basin - handwash, Type B	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Elbow action levers or

Room Name | Bay - Handwashing, PPE

Room Number: BHWS-PPE

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
												handsfree optional.

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-5000	Airconditioning		1	
S-6000	General fluorescent		1	
S-1983	General fluoresescent downlights		1	