

**Room Name** | Bay - Mobile Equipment, 6m2

**Room Number:** BMEQ-6

<b>Last modified</b>	01/03/2016
<b>Briefed Area</b>	6.00
<b>Remarks</b>	
<b>Occupancy</b>	
<b>Hours of Operation</b>	<input checked="" type="checkbox"/> 24 Hours
<b>Acoustics</b>	
<b>Description or Special Requirements</b>	<i>An open storage bay for one or more items of mobile equipment in frequent use which may include imaging equipment, wheelchairs, mobile scales, commode chairs, patient lifting devices or other mobile equipment. Special Design Requirements: The Bay should be deep enough to ensure equipment stored does not impede corridor circulation; a depth range from 800mm to 1500mm is recommended, depending on equipment to be stored. Electrical equipment that requires recharging may be stored in this space whilst recharging, therefore provision of appropriately located power outlets will be required.</i>

## Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	Default = vinyl: or carpet also acceptable
3000	Wall finish	Paint	Acrylic, washable		
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL	Equal to 'Acrovyn'
4031	Wall protection	Composite	Prefinished PVC	Corner guards to 1500 AFFL	Equal to 'Acrovyn'
4022	Wall protection	Composite	Prefinished PVC	Crash rail at 350 AFFL	Optional; Equal to 'Acrovyn'
5010	Ceiling - Plasterboard	Plasterboard	Paint, washable	Flush set, suspended	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	Default = vinyl: or featheredge vinyl skirting over carpet

## Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-24200	Wheelchair	3	2	as required
FF-7400	Trolley - equipment	3	1	as required

## Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-35700	IMG - X-ray machine, mobile	3	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	parking area

## Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

## Services

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	2	

Room Name | Bay - Mobile Equipment, 6m2

Room Number: BMEQ-6

AusHFG code	Description	Group	Qty	Comments
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	