

Room Name | Bay - Meal Trolley, 4m2

Room Number: BMT-4

Last modified	01/03/2016
Briefed Area	4.00
Remarks	
Occupancy	
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	
Description / Special Requirements	<i>An open storage bay for holding meal trolleys during meal delivery and collection times. Meal service and mid-meal trolleys to be confirmed; special power may be required for Cook/chill rethermalisation trolleys. Special Design Requirements: The Bay should be deep enough to ensure trolleys do not impede corridor circulation; minimum depth 1200mm, however, the depth may need to increase to 1500mm depending on the trolley selected.</i>

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	Default = vinyl: or consistent with adjacent area
3000	Wall finish	Paint	Acrylic, washable		
2535	Wall protection			Corner guards to 900 AFFL	As required; align heights of corner uards with other corridor elements.
2537	Wall protection			Crash rail at 900 AFFL	As required.
5010	Ceiling - Plasterboard	Plasterboard	Paint, washable	Flush set, suspended	Acoustic tiles acceptable.
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	Default = vinyl: or consistent with adjacent area

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-23910	Trolley - tray	3	1	As required, depends on food delivery system.

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-21585	Trolley - food delivery, hot/ cold	3	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	as required

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-9065	GPO: Special: 3 phase	1	1	1 per food delivery or rethermalisation trolley, as required
S-5000	Airconditioning	1	1	

Room Name | Bay - Meal Trolley, 4m2

Room Number: BMT-4

AusHFG code	Description	Group	Qty	Comments
S-6000	General fluorescent	1	1	