

Room Name | **Bay - PPE (Personal Protective Equipment)** | **Room Number: BPPE**

Last modified	01/03/2016
Briefed Area	1.50
Remarks	
Occupancy	
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	
Description or Special Requirements	<i>A bay for the storage of personal protection equipment such as gloves, gowns, overshoes and masks for infection control purposes. The bay may be located with the handwash Bay, immediately outside Isolation Rooms of all types or outside patient rooms. One PPE Bay may be shared by 2 rooms.</i>

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL	equal to 'Acrovyn'
4031	Wall protection	Composite	Prefinished PVC	Corner guards to 1500 AFFL	as required; equal to 'Acrovyn'
5010	Ceiling - Plasterboard	Plasterboard	Paint, washable	Flush set, suspended	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-13700	Mirror	1	1	
FF-20015	Shelving unit - PPE	1	1	for gloves, gowns, masks etc
FF-23950	Trolley	3	1	
FF-6152	Dispenser - disposable glove	2	1	
FF-6159	Dispenser - goggles	2	1	
FF-6163	Dispenser - mask	3	1	
FF-5830	Dispenser - antiseptic hand rub	2	1	optional
FF-2930	Dispenser - gown	2	1	

Fixtures, Equipment and associated Services

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-5000	Airconditioning	1	1	

Room Name | Bay - PPE (Personal Protective Equipment) Room Number: BPPE

AusHFG code	Description	Group	Qty	Comments
S-6000	General fluorescent	1	1	