

Room Name | Bay - Utility, 2m2

Room Number: BUT-2

Last modified | 01/03/2016
Briefed Area | 2.00
Remarks
Occupancy | 1
Hours of Operation | 24 Hours
Acoustics
Description or Special Requirements

The Utility Bay provides an area with a bench and sink for use as a preparation area. The bay may be located adjacent to patient treatment areas. The bay may incorporate a staff handwashing basin.

Room Fabrics

| AusHFG code | Description | Material | Finish | Specification | Comments |
|-------------|------------------------|--------------|-------------------------|----------------------------|----------------------------------|
| 1000 | Floor finish | Vinyl | Standard slip resistant | Seamless, coved | |
| 3000 | Wall finish | Paint | Acrylic, washable | | |
| 3052 | Wall finish | Vinyl | Prefinished | Wall vinyl to 1500 AFFL | to whole bay |
| 4031 | Wall protection | Composite | Prefinished PVC | Corner guards to 1500 AFFL | Equal to 'Acrovyn' |
| 5010 | Ceiling - Plasterboard | Plasterboard | Paint, washable | Flush set, suspended | or consistent with adjacent area |
| 6030 | Cornice | Aluminium | Powdercoat | 24mm shadow angle | consistent with adjacent area |
| 2000 | Skirting | Vinyl | Prefinished | Floor vinyl coved, 150 mmH | |

Fittings and Furniture

| AusHFG code | Description | Group | Qty | Comments |
|-------------|-------------------------------|-------|-----|------------------------------|
| FF-1010 | Bench - stainless steel | 1 | 1 | with wet edge and inset sink |
| FF-19820 | Shelf - SS, under | 1 | 1 | under bench |
| FF-20000 | Shelving unit - adjustable | 1 | 1 | over bench |
| FF-6154 | Dispenser - paper/ hand towel | 2 | 1 | to sink & basin |
| FF-6156 | Dispenser - soap | 2 | 1 | to sink & basin |
| FF-6158 | Dispenser - soap antiseptic | 2 | 1 | to basin |
| FF-5824 | Waste bin - general | 3 | 1 | |

Fixtures, Equipment and associated Services

| AusHFG code | Description | Grp | Qty | Ele | Data | CdW | HtW | WmW | Tap | Dns | Gas | Comments |
|-------------|----------------------------|-----|-----|--------------------------|--------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------|--|
| FE-2800 | Basin - handwash, Type B | 1 | 1 | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| FE-47800 | Sink, SS - single in bench | 1 | 1 | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | warm water if located in a patient accessible area |
| FE-4045 | Tapware - elbow mixer | | 1 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Service Requirements

Room Name | Bay - Utility, 2m2

Room Number: BUT-2

| AusHFG code | Description | Comments |
|-------------|---------------------|----------|
| S-5000 | Airconditioning | |
| S-6000 | General fluorescent | |

Services

| AusHFG code | Description | Group | Qty | Comments |
|-------------|---------------------|-------|-----|----------|
| S-5000 | Airconditioning | 1 | 1 | |
| S-6000 | General fluorescent | 1 | 1 | |