

**Room Name** | Bay - Water Dispenser

**Room Number:** BWD-1

<b>Last modified</b>	01/03/2016
<b>Briefed Area</b>	0.00
<b>Remarks</b>	
<b>Occupancy</b>	1 intermittently
<b>Hours of Operation</b>	<input checked="" type="checkbox"/> Available 24 Hours
<b>Acoustics</b>	
<b>Description / Special Requirements</b>	<i>Recessed bay off a corridor, a public waiting area or associated with a Main Entry / Lobby area for a drinking water dispenser. Suitability will depend on Infection Control policies and the provision of vending machines/ retail in close proximity. Preference to provide disposable cups with a dispensing holder than a bubbler.</i>

## Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
2526	Floor finish	Vinyl	Non-slip	Seamless covered	Significant change in colour to be avoided.
3000	Wall finish	Paint	Acrylic, washable		
2670	Wall protection			Corner guards to 900 AFFL minimum	Align heights of corner guards with other corridor elements
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	Or consistent with adjacent area.
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	Or consistent with adjacent area.
2000	Skirting	Vinyl	Prefinished	Floor vinyl covered, 150 mmH	

## Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-5824	Waste bin - general	3	1	

## Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-2753	Dispenser - Water	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

## Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

## Services

AusHFG code	Description	Group	Qty	Comments
S-9000	GPO: Single	1	1	Bedhead low level, for electric bed
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	