

**Room Name** | Disposal Room, 8m2

**Room Number:** DISP-8

<b>Last modified</b>	01/03/2016
<b>Briefed Area</b>	8.00
<b>Remarks</b>	
<b>Occupancy</b>	
<b>Hours of Operation</b>	<input checked="" type="checkbox"/> 24 Hours
<b>Acoustics</b>	
<b>Description or Special Requirements</b>	<i>The Disposal Room provides for the temporary holding of clinical waste, general waste, sharps, soiled linen and recyclables prior to removal. The Disposal Room should be located in close proximity to a handwashing basin or be provided within the room (optional) if waste will be handled in this area. The room should be lockable.</i>

## Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
3060	Wall finish	Vinyl	Prefinished	Splashback	Default = no hand basin; to basin, if provided
3052	Wall finish	Vinyl	Prefinished	Wall vinyl to 1500 AFFL	
4031	Wall protection	Composite	Prefinished PVC	Corner guards to 1500 AFFL	as required
5030	Ceiling - Plasterboard	Plasterboard	Prefinished	Drop-in tiles, 600x1200	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	Equal to 'Acrovyn'
8040	Door protection	Composite	Prefinished PVC	To door frame	Equal to 'Acrovyn'
9001	Door - 1100mm	Solid Core	Paint	Single leaf	1100mm clear opening, lockable, optional glazed viewing panel to door
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

## Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-23925	Trolley - soiled linen collection	3	1	
FF-24102	Waste bin - general	3	2	240 Litre
FF-24125	Waste bin - clinical	3	1	240 Litre
FF-6154	Dispenser - paper/ hand towel	2	1	to hand basin, if provided
FF-6156	Dispenser - soap	2	1	to hand basin, if provided
FF-6157	Dispenser - medicated hand gel	2	1	
FF-5824	Waste bin - general	3	1	

## Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-2850	Basin - handwash, Type C	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Default = no hand basin:

Room Name | Disposal Room, 8m2

Room Number: DISP-8

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
												optional with shroud

## Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-5019	Exhaust	to rangehood
S-6000	General fluorescent	

## Services

AusHFG code	Description	Group	Qty	Comments
S-5000	Airconditioning		1	
S-5019	Exhaust		1	to rangehood
S-6000	General fluorescent		1	
S-6200	Light switches		1	2