

Room Name | Dirty Utility, 10m2

Room Number: DTUR-10

Last modified	01/03/2016
Briefed Area	10.00
Remarks	
Occupancy	1 - 2 intermittently
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	Sound attenuation level high, Acoustic privacy is required.
Description or Special Requirements	The Dirty Utility provides for cleaning and holding of used equipment for collection and sterilisation elsewhere, disposal of clinical and other wastes and soiled linen, testing and disposing of patient specimens and decontamination and storage of patient utensils such as pans, urinals and bowls. Acoustics: Sound attenuation level - high; Acoustic privacy required

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1020	Floor finish	Vinyl, non-slip	Safety	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
3052	Wall finish	Vinyl	Prefinished	Wall vinyl to 1500 AFFL	
5023	Ceiling - Plasterboard	Plasterboard	Prefinished	Water resistant, drop in tiles, 600x1200	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	Equal to 'Acrovyn'
8040	Door protection	Composite	Prefinished PVC	To door frame	Equal to 'Acrovyn'
9004	Door - 1100mm	Solid Core/ Glass	Paint	Single leaf, observation panel	910mm clear opening; pull handle/push plate, closer
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-1010	Bench - stainless steel	1	1	with wet edge
FF-12300	Linen carrier - dirty, single	3	3	
FF-1455	Rack - bowl / basin	1	1	
FF-1470	Bracket - sharps	2	1	
FF-16500	Rack - pan & urinal	1	2	total of 12 pans/ 12 urinals
FF-19700	Sharps bin	3	1	
FF-19820	Shelf - SS, under	1	1	@ 350mm AFFL
FF-24125	Waste bin - clinical	3	1	240 litre sulo bin
FF-4494	Cupboard - urinalysis	1	1	over bench, optional
FF-6152	Dispenser - disposable glove	2	1	
FF-6154	Dispenser - paper/ hand towel	2	1	to hand basin
FF-6156	Dispenser - soap	2	1	to hand basin

Room Name | Dirty Utility, 10m2

Room Number: DTUR-10

AusHFG code	Description	Group	Qty	Comments
FF-7200	Hook - equipment	1	2	for clean linen bags
FF-9200	Hook - for catheter bag	1	2	above flushing rim sink
FF-5830	Dispenser - antiseptic hand rub	2	1	
FF-5824	Waste bin - general	3	1	

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-2800	Basin - handwash, Type B	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	refer to BHWS-B (sim)
FE-38700	Washer sanitiser - pan	1	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	not hardwired, combined utensil/pan sanitiser optional
FE-49111	Sink - 450x350x250D	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	hot water
FE-49800	Sink - flushing rim	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	& pressure control hose spray
FE-58200	Washer sanitiser - utensil	1	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	combined utensil/pan sanitiser optional
FE-4045	Tapware - elbow mixer		1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Service Requirements

AusHFG code	Description	Comments
S-5015	Ventilation	
S-5019	Exhaust	to rangehood
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-1433	Electrical Isolator: 1PH+N		1	Imported 150916
S-9001	GPO: Double	1	1	
S-9060	GPO: Special: for equipment	1	2	TV, ceiling
S-4000	Hot water: outlet	1	1	to washing machine
S-4010	Cold water: outlet	1	1	to washing machine
S-4033	Floor waste	1	1	
S-5015	Ventilation	1	1	
S-5019	Exhaust	1	1	to rangehood
S-6000	General fluorescent	1	1	

Room Name | Dirty Utility, 10m2

Room Number: DTUR-10

AusHFG code	Description	Group	Qty	Comments
S-6200	Light switches (2-way)	1	1	