

Room Name | Dirty Utility - Sub

Room Number: DTUR-S

Last modified	01/03/2016
Briefed Area	8.00
Remarks	
Occupancy	1 - 2 intermittently
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	Sound attenuation level high, Acoustic privacy is required.
Description or Special Requirements	<i>The Dirty Utility - Sub is a small Dirty Utility Room providing for cleaning and holding of used equipment for collection, disposal of clinical and other wastes and soiled linen testing and disposal of patient specimens. Decontamination and storage of patient bedpans, urinals and bowls is optional in the Dirty Utility-Sub. The Dirty Utility -Sub may be located in Allied Health, Imaging or Ambulatory Day Care areas. The room shall not be provided in Inpatient Units used for overnight stay. Acoustics: Sound attenuation level - high; Acoustic privacy is required</i>

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1020	Floor finish	Vinyl, non-slip	Safety	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
3052	Wall finish	Vinyl	Prefinished	Wall vinyl to 1500 AFFL	
5023	Ceiling - Plasterboard	Plasterboard	Prefinished	Water resistant, drop in tiles, 600x1200	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	Equal to Acrovyn
8040	Door protection	Composite	Prefinished PVC	To door frame	Equal to Acrovyn
9004	Door - 1100mm	Solid Core/ Glass	Paint	Single leaf, observation panel	910mm clear opening, pull handle/push plate, closer
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-1010	Bench - stainless steel	1	1	with wet edge
FF-12300	Linen carrier - dirty, single	3	1	
FF-1455	Rack - bowl / basin	1	1	optional
FF-1470	Bracket - sharps	2	1	
FF-16500	Rack - pan & urinal	1	1	6 pans/ 6 urinals, optional
FF-19700	Sharps bin	3	1	
FF-19810	Shelf - SS, over	1	1	over bench
FF-19820	Shelf - SS, under	1	1	
FF-4495	Cupboard - urinalysis	1	2	
FF-6152	Dispenser - disposable glove	2	1	
FF-6154	Dispenser - paper/ hand towel	2	1	to hand basin

Room Name | Dirty Utility - Sub

Room Number: DTUR-S

AusHFG code	Description	Group	Qty	Comments
FF-6156	Dispenser - soap	2	1	to hand basin
FF-7200	Hook - equipment	1	2	
FF-9200	Hook - for catheter bag	1	2	above rim flushing sink
FF-5830	Dispenser - antiseptic hand rub	2	1	
FF-5824	Waste bin - general	3	1	to basin
FF-24405	Whiteboard - magnetic	2	1	

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-2800	Basin - handwash, Type B	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	refer to BHWS-B (sim)
FE-38700	Washer sanitiser - pan	1	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
FE-49111	Sink - 450x350x250D	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
FE-49800	Sink - flushing rim	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	& pressure control hose spray, or slop hopper optional
FE-4045	Tapware - elbow mixer		1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Service Requirements

AusHFG code	Description	Comments
S-4033	Floor waste	
S-5015	Ventilation	
S-5019	Exhaust	to rangehood
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	1	
S-9060	GPO: Special: for equipment	1	1	TV, ceiling
S-4000	Hot water: outlet	1	1	to washing machine
S-4010	Cold water: outlet	1	1	to washing machine
S-4033	Floor waste	1	1	
S-5015	Ventilation	1	1	
S-5019	Exhaust	1	1	to rangehood
S-6000	General fluorescent	1	1	

Room Name | Dirty Utility - Sub

Room Number: DTUR-S

AusHFG code	Description	Group	Qty	Comments
S-6200	Light switches	1	1	