

Room Name | Interview Room - Family/ Large

Room Number: INTF

Last modified	01/03/2016
Briefed Area	12.00
Remarks	
Occupancy	Up to 6 persons
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	Sound attenuation level high, Acoustic privacy is required.
Description / Special Requirements	A larger Interview Room to undertake confidential discussion and/ or counselling between staff, patients and or family members where required. The Interview Room may also be used as a multipurpose room for small staff groups or discussions. An external outlook is desirable. The Interview Room - Family may also be used for mental health patients. If used for this purpose an observation window (toughened glass with integral venetians) should be installed. Assumes staff will bring their own laptop / tablet (BYOD). Acoustics: Sound attenuation level - high; Acoustic privacy required. Additional Design Considerations: - A second egress door may be required for staff safety and security

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1130	Floor finish	Carpet	90/10 Wool/ Nylon	Carpet tiles	
3000	Wall finish	Paint	Acrylic, washable		
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
9004	Door - 1100mm	Solid Core/ Glass	Paint	Single leaf, observation panel	
7001	Windows				Desirable (external outlook)
2529	Door protection	Composite	Prefinished PVC	To door frame	
2712	Door protection			Protection plate to 900 AFFL	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH	or floor vinyl coved skirting

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-17385	Pinboard/ whiteboard combination	2	1	
FF-22660	Table - round	3	1	
FF-22780	Table - small	3	2	
FF-2655	Chair - visitor	3	6	
FF-350	Artwork	3	1	optional
FF-5824	Waste bin - general	3	1	
FF-5828	External window dressing	3	0	If external window provided

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-54510	Telephone - handset, standard	3	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Service Requirements

Room Name | Interview Room - Family/ Large

Room Number: INTF

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	3	
S-1006	Voice / Data outlet: double	1	2	1 outlet for telephone
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	
S-6200	Light switches	1	1	
S-6110	Downlights: dimmable	1	1	optional
S-10005	Duress alarm	1	1	