

Room Name | Lounge - Parent, 12m2

Room Number: LNPA-12

Last modified	01/03/2016
Briefed Area	12.00
Remarks	
Occupancy	Up to 6 visitors
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	Sound attenuation level medium, Acoustic privacy is required.
Description or Special Requirements	The Parent Lounge provides a change of environment away from clinical areas for parents or visitors to patients in the Paediatric/ Adolescent Unit, NNIC and SCN. An external outlook is desirable. Door width should allow access for twin prams. Acoustics: Sound attenuation level - Medium; Acoustic privacy required.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.	Default = carpet: Vinyl also acceptable
3000	Wall finish	Paint	Acrylic, washable		
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	Equal to Acrovyn
8040	Door protection	Composite	Prefinished PVC	To door frame	Equal to Acrovyn
9115	Door - 1400mm	Solid Core/ Glass	Paint	1 1/2 leaf, half glazed	910 /1400mm clear opening, small door leaf optional
7001	Windows				desirable
7030	Observation	Alum/ Glass	Powdercoat	Internal window, door height	optional
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH	Default = feather edged: or floor vinyl covered skirting

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-1250	Blind - Venetian	3	1	to internal windows, optional
FF-2000	Chair - lounge	3	4	
FF-22800	Table - low	3	3	
FF-2655	Chair - visitor	3	2	
FF-350	Artwork	3	1	optional
FF-4900	Curtain track - window	1	1	
FF-5410	Curtain - window, drapes	3	2	or blinds
FF-7513	Bracket LCD monitor	1	1	optional

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-54510	Telephone - handset, standard	3	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	on table, optional
FE-7719	Monitor - LCD	3	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Room Name | Lounge - Parent, 12m2

Room Number: LNPA-12

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	
S-6046	Indirect lighting	optional

Services

AusHFG code	Description	Group	Qty	Comments
S-9000	GPO: Single		1	4 Bedhead low level, for electric bed
S-9060	GPO: Special: for equipment		1	1 TV, ceiling
S-1006	Voice / Data outlet: double		1	1 outlet for telephone
S-1090	TV: MATV		1	
S-5000	Airconditioning		1	
S-6000	General fluorescent		1	
S-6200	Light switches		1	
S-6046	Indirect lighting		1	1 optional