

Room Name | Meeting Room - Small, 9m2

Room Number: MEET-9

Last modified	01/03/2016
Briefed Area	9.00
Remarks	
Occupancy	Up to 4
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	Sound attenuation level high, Acoustic privacy is required.
Description / Special Requirements	A multipurpose room for staff interviews, meetings, teaching and training activities. May also function as a 'breakout' room in an open workstation environment. An external outlook is desirable. Acoustics: Sound attenuation level - high; Acoustic privacy essential. Size of space and FF&E quantity/type to be adapted to suit specific project briefing requirements as per AusHFG HPUs. Add 1.2m2 per additional person and allow 1.5m2 for wheelchair parking space as required.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1130	Floor finish	Carpet	90/10 Wool/ Nylon	Carpet tiles	Slip resistant vinyl also acceptable.
3000	Wall finish	Paint	Acrylic, washable		
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	
8040	Door protection	Composite	Prefinished PVC	To door frame	Optional. To be decided at project level.
9002	Door - 910mm	Solid Core/ Glass	Paint	Single leaf, half glazed	910mm clear opening, lockable, glazing optional
7001	Windows				Desirable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH	default = feather edged : or floor vinyl coved skirting

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-23040	Table - meeting		3	1
FF-2655	Chair - visitor		3	4 Consider weight capacity
FF-3400	Coathook		1	2 Optional
FF-5824	Waste bin - general		3	1
FF-5828	External window dressing		3	2 Number to align with window configuration, if provided. Window dressing type to comply with Infection Control policy. Blackout may be required if used for audiovisual presentations.
FF-24405	Whiteboard - magnetic		2	1
FF-5550	Blind - integral		1	0 Internal window, if provided.

Fixtures, Equipment and associated Services

Room Name | Meeting Room - Small, 9m2

Room Number: MEET-9

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-54510	Telephone - handset, standard	3	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	On table

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	2	
S-1005	Voice / Data outlet: single	1	1	in ceiling for data projector; optional
S-1006	Voice / Data outlet: double	1	1	1 outlet for telephone
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	
S-2088	Light switch: single	1	1	