

Room Name | Mortuary - Exit

Room Number: MOR-EX

Last modified	01/03/2016
Briefed Area	7.00
Remarks	
Occupancy	1 - 2 intermittently
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	
Description or Special Requirements	<i>Exit from Mortuary Cool Store area to the loading dock area. Entry to this area by authorised personnel. Handwashing facilities should be located in close proximity. This area may include a observation bay for Autopsy room if required.</i>

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900 AFFL	Equal to 'Acrovyn', as required
5030	Ceiling - Plasterboard	Plasterboard	Prefinished	Drop-in tiles, 600x1200	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	Equal to 'Acrovyn'
8040	Door protection	Composite	Prefinished PVC	To door frame	Equal to 'Acrovyn'
9110	Door - 1400mm	Solid Core	Paint	1 1/2 leaf	1400mm clear opening, lockable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-17360	Pinboard - fabric covered	1	1	900 x 900, optional
FF-2100	Chair - ergonomic, office	3	1	to desk, if provided
FF-3400	Coathook	1	2	
FF-5900	Desk	3	1	optional, small

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-54510	Telephone - handset, standard	3	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	to desk, optional

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

Room Name | Mortuary - Exit

Room Number: MOR-EX

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	2	
S-1006	Voice / Data outlet: double	1	1	1 outlet for telephone
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	
S-6200	Light switches	1	1	