

Room Name | Play Area - Paediatric, 10m2

Room Number: PLAP-10

Last modified | 01/03/2016
Briefed Area | 10.00
Remarks
Occupancy | Up to 5
Hours of Operation | Available 24 Hours
Acoustics
Description / Special Requirements

An area where children may play while waiting with parents and may be associated with a Waiting area. The Play Area should allow access for prams. Public toilets and baby change facilities should be located nearby. The Play Area should be designed to minimise noise transfer and be observable by parents from the adjacent area. Acoustics: sound attenuation level - high. Size and FF&E to be adapted to suit specific project briefing requirements as per AusHFG HPUs.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1130	Floor finish	Carpet	90/10 Wool/ Nylon	Carpet tiles	Default = carpet, cushioned vinyl or standard slip resistant vinyl also acceptable.
3000	Wall finish	Paint	Acrylic, washable		
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
7001	Windows				desirable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH	Default = featheredged vinyl; floor vinyl covered skirting for vinyl floor.

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-1600	Chair - child	3	2	
FF-22700	Table - child	3	1	
FF-22800	Table - low	3	1	
FF-2655	Chair - visitor	3	2	
FF-5828	External window dressing	3	1	Number to align with window configuration. Window dressing type to comply with Infection Control policy. Dangling cords to be avoided.
FF-24405	Whiteboard - magnetic	2	1	

Fixtures, Equipment and associated Services

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

Room Name | Play Area - Paediatric, 10m2

Room Number: PLAP-10

AusHFG code	Description	Group	Qty	Comments
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	