

Room Name | Play Area - Paediatric, 20m2

Room Number: PLAP-20

Last modified	01/03/2016
Briefed Area	20.00
Remarks	
Occupancy	Up to 8
Hours of Operation	<input checked="" type="checkbox"/> Available 24 Hours
Acoustics	
Description or Special Requirements	An area where children may play while parents wait or are attended to by staff, associated with a Waiting area or located within a Paediatric Unit. The Play Area should allow access for prams. Public toilets and baby change facilities should be located nearby. The Play Area should be designed to keep children in the area, minimise noise transfer and be observable by parents / staff from the adjacent area.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.	default = carpet; cushioned vinyl also acceptable
3000	Wall finish	Paint	Acrylic, washable		
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
7001	Windows				desirable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH	or covered vinyl skirting

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-1130	Blackboard	2	1	child height, optional
FF-1250	Blind - Venetian	3	1	to external window if provided, no dangling cords
FF-1600	Chair - child	3	2	
FF-19506	Security screen - child proof	1	1	with gate
FF-22700	Table - child	3	1	
FF-22800	Table - low	3	1	
FF-23800	Toy box & toys	3	1	
FF-2655	Chair - visitor	3	2	

Fixtures, Equipment and associated Services

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

Room Name | Play Area - Paediatric, 20m2

Room Number: PLAP-20

AusHFG code	Description	Group	Qty	Comments
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	