

**Room Name** | Security Room, 10m2

**Room Number:** SECR-10

<b>Last modified</b>	01/03/2016
<b>Briefed Area</b>	10.00
<b>Remarks</b>	
<b>Occupancy</b>	Up to 2 staff
<b>Hours of Operation</b>	<input checked="" type="checkbox"/> 24 Hours
<b>Acoustics</b>	Sound attenuation level medium, Acoustic privacy is required.
<b>Description or Special Requirements</b>	A lockable room for security personnel to monitor surveillance equipment. Staff identity photographs may also be taken in this area. The Security Room should be located close to the Main Entrance / Emergency Unit after hours entry. The Security Room configuration may alter to suit different monitoring arrangements. Acoustics: Sound attenuation level - medium; Acoustic privacy required

## Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.	
3000	Wall finish	Paint	Acrylic, washable		
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high	
9004	Door - 1100mm	Solid Core/ Glass	Paint	Single leaf, observation panel	910mm clear opening, lockable
7001	Windows				Desirable, for surveillance of external areas
7031	Observation	Alum/ Safety glass	Powdercoat/ paint	Internal window	one way glass; with communication/document slots
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH	

## Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-1050	Bench - laminate	1	1	
FF-1250	Blind - Venetian	3	1	to external window, if provided
FF-17360	Pinboard - fabric covered	1	1	above bench
FF-18160	Projection screen - ceiling mount	1	1	900mmW, for photo backdrop, as required
FF-20012	Shelving unit - fixed shelves	1	1	monitor chambers, optional
FF-2100	Chair - ergonomic, office	3	1	
FF-2600	Chair - visitor, office	3	1	
FF-3400	Coathook	1	2	
FF-4230	Counter top	1	1	to communication window
FF-4360	Cupboard - door ht adj. shelves	1	1	lockable
FF-5824	Waste bin - general	3	1	under bench

## Fixtures, Equipment and associated Services

Room Name | Security Room, 10m2

Room Number: SECR-10

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-11400	Computer - PC & monitor	3	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	flat screen
FE-35860	Monitor - CCTV	3	9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	flat screen; quantity as required
FE-41100	Printer - networked	3	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
FE-54510	Telephone - handset, standard	3	1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
FE-7500	Camera - ID photo	3	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	optional, on tripod stand

## Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

## Services

AusHFG code	Description	Group	Qty	Comments
S-9000	GPO: Single		1	9 Bedhead low level, for electric bed
S-9001	GPO: Double		1	3
S-1005	Voice / Data outlet: single		1	9 in ceiling for data projector; optional
S-1006	Voice / Data outlet: double		1	2 1 outlet for telephone
S-1090	TV: MATV		1	1
S-5000	Airconditioning		1	1
S-6000	General fluorescent		1	1
S-6200	Light switches		1	1