

Room Name | Shower - Staff

Room Number: SHST

Last modified	01/03/2016
Briefed Area	3.00
Remarks	
Occupancy	1 staff member
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	
Description / Special Requirements	A shower room for staff use. The Staff Shower may be gender specific or unisex. Acoustic: Sound attenuation - medium; Acoustic privacy is required.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
2526	Floor finish	Vinyl	Non-slip	Seamless coved	Suitable for barefeet.
3070	Wall finish	Vinyl	Prefinished	Wall vinyl full height	Default = vinyl; tiles also acceptable
5023	Ceiling - Plasterboard	Plasterboard	Prefinished	Water resistant, drop in tiles, 600x1200	
9001	Door - 1100mm	Solid Core	Paint	Single leaf	850mm clear opening; privacy latch
2710	Door protection			Protection plate to 300 AFFL	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	Default = vinyl; tiles for tiled floor

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-13800	Mirror - full length	1	1	optional
FF-20050	Shower seat - fold up	1	1	used for sitting and/or placement of personal effects, located outside of shower zone.
FF-20650	Soap / shampoo holder	1	1	
FF-23700	Towel rail	1	1	
FF-3400	Coathook	1	1	
FF-4800	Curtain track - shower (90deg)	1	1	Optional, depends on Infection Control Policy
FF-5300	Curtain - shower	3	1	Optional, depends on Infection Control Policy

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-47500	Shower - fixed rose	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
FE-40412	TAP - COLD		1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
FE-40413	TAP - HOT		1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Room Name | Shower - Staff

Room Number: SHST

Service Requirements

AusHFG code	Description	Comments
S-5015	Ventilation	
S-5019	Exhaust	to rangehood
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-4033	Floor waste	1	1	
S-5015	Ventilation	1	1	
S-5019	Exhaust	1	1	to rangehood
S-6000	General fluorescent	1	1	
S-6200	Light switches	1	1	
S-10020	Card access	1	1	optional; swipe card access