

Room Name | Staff Station, 14m2

Room Number: SSTN-14

Last modified	01/03/2016
Briefed Area	14.00
Remarks	
Occupancy	Up to 3 staff
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	Sound attenuation level medium, Acoustic privacy is required.
Description / Special Requirements	<p>The Staff Station is the administrative base for a Unit in which it is located, and enquiry point for patients and visitors. It provides for the co-ordination of patient care, observation, writing up of clinical notes, entering data into computers and making and receiving telephone calls. The Staff Station may also accommodate a Unit Receptionist/ Clerk. The floor area may vary according to the Health Planning Unit Unit in which it is located, activity level, number of full and part-time staff, the Operational Model and the building layout. The Staff Station 14m2 is suitable for a typical Inpatient Unit of 30 beds. Acoustics: Sound attenuation level - Medium; acoustic privacy required. Special Design Requirements: - Staff Station should have a set down area for disabled access - Lockable counter height doors may be provided for additional security if required. - If doors are required, access for disabled staff may require consideration</p>

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	Default = vinyl; carpet also acceptable
3000	Wall finish	Paint	Acrylic, washable		
2535	Wall protection			Corner guards to 900 AFFL	
5007	Ceiling - Plasterboard	Plasterboard	Paint	Bulkhead	optional
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	Default = coved vinyl; vinyl featheredge skirting over carpet

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-17250	Pedestal drawer unit - mobile, 660mmH	3	2	
FF-17360	Pinboard - fabric covered	1	4	to upstand of staff station
FF-2100	Chair - ergonomic, office	3	3	
FF-5824	Waste bin - general	3	1	
FF-5980	Counter - accessible access	1	1	
FF-5981	Staff station - high performance surfaces	1	1	

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-11400	Computer - PC & monitor	3	3	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
FE-54510	Telephone - handset, standard	3	3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Service Requirements

Room Name | Staff Station, 14m2

Room Number: SSTN-14

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	
S-6030	Special: downlights	over bed/ trolley
S-6055	Special: task light, built in	under O/H cupboards

Services

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	6	
S-1006	Voice / Data outlet: double	1	3	1 outlet for telephone
S-5000	Airconditioning	1	1	
S-5070	Temperature control	1	1	control panel, optional
S-1416	Light Control Panel		1	Imported 150916
S-6000	General fluorescent	1	1	
S-6200	Light switches (pelmet)	1	3	
S-6030	Special: downlights	1	1	over bed/ trolley
S-6055	Special: task light, built in	1	3	under O/H cupboards
S-8040	Annunciator	1	1	
S-10005	Duress alarm	1	1	
S-7050	Gas Alarm Panel	1	1	