

Room Name | Store - Equipment, 14m2

Room Number: STEQ-14

Last modified	01/03/2016
Briefed Area	14.00
Remarks	
Occupancy	1 - 2 intermittently
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	
Description or Special Requirements	<i>The Equipment Store is used for the storage of medical equipment when not in use and recharging of electrical items. Space is required for parking of mobile equipment including IV poles, wheelchairs, lifting equipment, trolleys, cradles and commode chairs for the Unit. Hooks will be required for hanging equipment.</i>

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	
3000	Wall finish	Paint	Acrylic, washable		
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL	Equal to 'Acrovyn'
5030	Ceiling - Plasterboard	Plasterboard	Prefinished	Drop-in tiles, 600x1200	
8010	Door protection	Composite	Prefinished PVC	Protection plate to 900 AFFL	Equal to 'Acrovyn'
8040	Door protection	Composite	Prefinished PVC	To door frame	Equal to 'Acrovyn'
9110	Door - 1400mm	Solid Core	Paint	1 1/2 leaf	1400mm clear opening, lockable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments	
FF-13660	Metal shelving - 900x400x2100		3	4	
FF-24400	Whiteboard		2	1	900 x 900, optional
FF-7200	Hook - equipment		1	4	on mounting plate
FF-7300	Rail - equipment		1	2	vertical for recharging pumps, optional

Fixtures, Equipment and associated Services

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double		1	6
S-5000	Airconditioning		1	1

Room Name | Store - Equipment, 14m2

Room Number: STEQ-14

AusHFG code	Description	Group	Qty	Comments
S-6000	General fluorescent	1	1	
S-6200	Light switches	1	1	