

**Room Name** | Waiting, 50m2

**Room Number:** WAIT-50

**Last modified** | 01/03/2016  
**Briefed Area** | 50.00  
**Remarks**  
**Occupancy** | Up to 40  
**Hours of Operation** |  24 Hours  
**Acoustics**  
**Description or Special Requirements**

*An area for visitors and patients to wait in comfort associated with the Main Entry area. The Waiting area may be for the use of public, patients, families and other visitors to the facility. The Waiting area will require facilities for a range of occupants including adults and children, both able-bodied and disabled. An external outlook is desirable. Public amenities and telephone bays should be located nearby.*

## Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.	Default = Carpet; vinyl also acceptable
3000	Wall finish	Paint	Acrylic, washable		
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900 AFFL	as required, Equal to Acrovyn
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
7001	Windows				desirable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH	Default = feather edged vinyl; or floor vinyl covered skirting

## Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-13120	Rack - magazine/ pamphlet	3	1	
FF-17360	Pinboard - fabric covered	1	1	or artwork, optional
FF-22800	Table - low	3	4	
FF-23410	Bracket - television, wall mount	1	1	
FF-2700	Chair - waiting	3	35	may have a mixture of chairs with arms and without arms; include space for wheelchairs
FF-4900	Curtain track - window	1	1	optional; may also use blinds
FF-5410	Curtain - window, drapes	3	1	optional; may also use blinds

## Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-54580	Television - 54 cm	3	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flat screen on bracket

## Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	

Room Name | Waiting, 50m2

Room Number: WAIT-50

AusHFG code	Description	Comments
S-6000	General fluorescent	

**Services**

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	1	
S-9015	GPO: Cleaner	1	1	
S-9060	GPO: Special: for equipment	1	1	TV, ceiling
S-1090	TV: MATV	1	1	
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	