

Room Name | **Waiting - Secure**

Room Number: WAIT-SEC

Last modified | 01/03/2016
Briefed Area | 6.00
Remarks
Occupancy | Up to 4
Hours of Operation | 24 Hours
Acoustics
Description or Special Requirements

The Secure Waiting is an area for visitors to a Mental Health Unit to wait in comfort prior to or during visits. The area will be secured and visitors will alert staff of their arrival to gain entry to the Unit. The waiting area will be located in close proximity to a reception area or staff station. Public amenities should be located in close proximity. All glazing (including external windows if provided), fittings and fixtures are to comply with Adult Acute Mental Health Inpatient Unit.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.	Default = Carpet: vinyl also acceptable
3000	Wall finish	Paint	Acrylic, washable		
5010	Ceiling - Plasterboard	Plasterboard	Paint, washable	Flush set, suspended	
8000	Door protection	Vinyl	Prefinished	Kickplate, 300mm high	
9115	Door - 1400mm	Solid Core/ Glass	Paint	1 1/2 leaf, half glazed	1350mm clear opening; safety glass; lockable
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH	Default = Feather edged: or floor vinyl coved skirting

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-13120	Rack - magazine/ pamphlet	3	1	securely fixed
FF-17360	Pinboard - fabric covered	1	1	or artwork, optional, secure fixings
FF-22800	Table - low	3	1	
FF-23295	Stand - public telephone	3	1	optional; securely fixed
FF-2700	Chair - waiting	3	3	some with arms, space for wheelchair/ pram

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-41900	Telephone - public	3	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	with stand, securely fixed; optional

Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

Services

Room Name | Waiting - Secure

Room Number: WAIT-SEC

AusHFG code	Description	Group	Qty	Comments
S-9001	GPO: Double	1	1	
S-1005	Voice / Data outlet: single	1	1	in ceiling for data projector; optional
S-1035	Door buzzer	1	1	optional
S-1040	Intercom	1	1	optional
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	