

**Room Name** | **Waiting - Sub**

**Room Number: WAIT-SUB**

**Last modified** | 01/03/2016  
**Briefed Area** | 5.00  
**Remarks**  
**Occupancy** | Up to 5  
**Hours of Operation** |  24 Hours  
**Acoustics**  
**Description or Special Requirements**

*A satellite area for visitors, families and patients to wait, located within Departmental Units, close to Procedures/ Imaging rooms or Offices. The Sub-Waiting area should accommodate parking space for wheelchairs as required.*

## Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.	Default = Carpet: vinyl also acceptable
3000	Wall finish	Paint	Acrylic, washable		
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900 AFFL	as required, Equal to Acrovyn
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL	Equal to Acrovyn
5060	Ceiling - Acoustic	Acoustic	Prefinished	Drop-in tiles, 600x1200	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH	Default = Feather edged: or floor vinyl coved skirting

## Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-13120	Rack - magazine/ pamphlet	3	1	
FF-22800	Table - low	3	2	small
FF-2700	Chair - waiting	3	4	some with arms, space for wheelchair

## Fixtures, Equipment and associated Services

### Service Requirements

AusHFG code	Description	Comments
S-5000	Airconditioning	
S-6000	General fluorescent	

### Services

AusHFG code	Description	Group	Qty	Comments
S-9000	GPO: Single	1	2	Bedhead low level, for electric bed
S-5000	Airconditioning	1	1	
S-6000	General fluorescent	1	1	