

Room Name | Toilet - Public, 3m2

Room Number: WCPU-3

Last modified	01/03/2016
Briefed Area	3.00
Remarks	
Occupancy	1
Hours of Operation	<input checked="" type="checkbox"/> 24 Hours
Acoustics	Sound attenuation level high, Acoustic privacy is required.
Description / Special Requirements	A room containing a toilet and handbasin for general public or visitor use. Acoustics: Sound attenuation level - high; Acoustic privacy is required.

Room Fabrics

AusHFG code	Description	Material	Finish	Specification	Comments
1000	Floor finish	Vinyl	Standard slip resistant	Seamless, coved	Default = Vinyl; tiles also acceptable
3000	Wall finish	Paint	Acrylic, washable		
2906	Wall finish			Splashback behind basin	Selection of material to comply with Part D Infection Prevention and Control AusHFG.
5023	Ceiling - Plasterboard	Plasterboard	Prefinished	Water resistant, drop in tiles, 600x1200	
9001	Door - 1100mm	Solid Core	Paint	Single leaf	850mm clear opening, privacy latch, emergency release
2713	Door protection			Kick plate 300 AFFL	
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle	
2000	Skirting	Vinyl	Prefinished	Floor vinyl coved, 150 mmH	Default = Vinyl coved; or tiles for tiled floor

Fittings and Furniture

AusHFG code	Description	Group	Qty	Comments
FF-13700	Mirror	1	1	
FF-19100	Waste bin - sanitary	3	1	Optional, depends on Waste Management Policy.
FF-19910	Shelf - vanity	1	1	Or integral with basin.
FF-3400	Coathook	1	1	
FF-6154	Dispenser - paper/ hand towel	2	1	to basin
FF-6156	Dispenser - soap	2	1	to basin
FF-6160	Dispenser - toilet paper	1	1	
FF-5824	Waste bin - general	3	1	

Fixtures, Equipment and associated Services

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
FE-2850	Basin - handwash, Type C (with vanity)	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Refer to BHWS-C (sim). Or ensuite basin with integral

Room Name | Toilet - Public, 3m2

Room Number: WCPU-3

AusHFG code	Description	Grp	Qty	Ele	Data	CdW	HtW	WmW	Tap	Dns	Gas	Comments
												shelf or separate shelf.
FE-55600	Toilet suite - standard	1	1	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Service Requirements

AusHFG code	Description	Comments
S-5015	Ventilation	
S-5019	Exhaust	to rangehood
S-6000	General fluorescent	

Services

AusHFG code	Description	Group	Qty	Comments
S-4033	Floor waste		1	
S-5015	Ventilation		1	
S-5019	Exhaust		1	to rangehood
S-6000	General fluorescent		1	
S-2088	Light switch: single		1	