

AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet


RLS Room Code: LNPT-30

1:50 2.5m 2 1.5 1 0.5 0

Room Name:


LOUNGE - PATIENT/FAMILY, 30m²

BIMID	DESCRIPTION
2010	SKIRTING VINYL, FEATHERED EDGED, 150mmH
4041	WALL PROTECTION - CHAIR RAIL - 4041
7001	WINDOWS
7035	7035 - INTERNAL WINDOW, DOUBLE GLAZED
8010	DOOR PROTECTION
8040	DOOR PROTECTION - FRAME
FE-54580	TELEVISION FE-54550
FF-350	ARTWORK
FF-2655	CHAIR - VISITOR
FF-4901	CURTAIN TRACK
FF-5410	CURTAIN - WINDOW DRAPES
FF-5824	WASTE BIN, GENERAL
FF-22800	TABLE - LOW
FF-23410	TV BRACKET
S-1006	VOICE DATA OUTLET - DOUBLE
S-1090	TV - MATV
S-1951	STAFF ASSIST CALL
S-6200	LIGHT SWITCH
S-8000	PATIENT TO STAFF CALL
S-8080	EMERGENCY CALL
S-9000	GENERAL POWER OUTLET - SINGLE
S-9015	GENERAL POWER OUTLET - CLEANER
S-9040	BODY PROTECTED
S-9050	GENERAL POWER OUTLET - DOUBLE (RCD PROTECTED)
S-9060	GENERAL POWER OUTLET - SPECIAL FOR EQUIPMENT



PLAN

GLAZED WALL AND DOOR (OPTIONAL)



REV	DESCRIPTION	DATE
4	This RLS has been redocumented	01.03.2016

FOR GUIDANCE

SCALE	RLS Room Code	Room Tag	REV
1 : 50 @ A3	LNPT-30	1.125.1	4

AUSTRALASIAN HFG STANDARD COMPONENTS


Room Layout Sheet

RLS Room Code: LNPT-30


Room Name:

1:50 2.5m 2 1.5 1 0.5 0
LOUNGE - PATIENT/FAMILY, 30m²


BIMID	DESCRIPTION
2010	SKIRTING VINYL FEATHERED EDGED, 150mmH
4041	WALL PROTECTION - CHAIR RAIL - 4041
7001	WINDOWS
7035	7035 - INTERNAL WINDOW, DOUBLE GLAZED
8010	DOOR PROTECTION
8040	DOOR PROTECTION - FRAME
FE-54580	TELEVISION FE-54550
FF-350	ARTWORK
FF-2655	CHAIR - VISITOR
FF-4901	CURTAIN TRACK
FF-5410	CURTAIN - WINDOW DRAPES
FF-5824	WASTE BIN, GENERAL
FF-22800	TABLE - LOW
FF-23410	TV BRACKET
S-1006	VOICE DATA OUTLET - DOUBLE
S-1090	TV - MATV
S-1951	STAFF ASSIST CALL
S-6200	LIGHT SWITCH
S-8000	PATIENT TO STAFF CALL
S-8080	EMERGENCY CALL
S-9000	GENERAL POWER OUTLET - SINGLE
S-9015	GENERAL POWER OUTLET - CLEANER
S-9040	BODY PROTECTED
S-9050	GENERAL POWER OUTLET - DOUBLE (RCD PROTECTED)
S-9060	GENERAL POWER OUTLET - SPECIAL FOR EQUIPMENT




ELEVATION 1



ELEVATION 2



ELEVATION 3



ELEVATION 4



REV	DESCRIPTION	DATE
4	This RLS has been redocumented	01.03.2016

FOR GUIDANCE

SCALE	RLS Room Code	Room Tag	REV
1 : 50 @ A3	LNPT-30	1.125.2	4