


AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet



RLS Room Code: **SSTN-20**

Room Name:

STAFF STATION, 20m²



BIMID	DESCRIPTION
2000	FLOOR VINYL COVERED SKIRTING
4010	WALL PROTECTION - CRASH RAIL 4010
FE-11400	COMPUTER - PC & MONITOR
FE-54510	TELEPHONE - HANDSET, STANDARD
FE-68700	XRAY VIEWER - 2 SCREEN
FF-2100	CHAIR - ERGONOMIC OFFICE
FF-4235	STAFF STATION 2 - HIGH PERFORMANCE SURFACES
FF-5824	WASTE BIN, GENERAL
FF-16840	PARTITION - LAMINATE
FF-17250	PEDESTAL DRAWER UNIT- MOBILE
FF-17360	PINBOARD - FABRIC COVERED
FF-21250	STAFF STATION 2 - HIGH PERFORMANCE SURFACES
FF-24200	WHEELCHAIR
S-1006	VOICE DATA OUTLET - DOUBLE
S-1416	LIGHT CONTROL PANEL
S-5070	TEMPERATURE CONTROL
S-6055	SPECIAL TASK LIGHT, BUILT-IN
S-6200	LIGHT SWITCH - PELMET TASK LIGHT
S-7050	GAS ALARM PANEL
S-9001	GENERAL POWER OUTLET - DOUBLE
S-9060	GENERAL POWER OUTLET - SPECIAL FOR EQUIPMENT
S-10005	DURESS ALARM



REV	DESCRIPTION	DATE
3	This RLS has been redocumented	01.03.2016

FOR GUIDANCE

SCALE	RLS Room Code	Room Tag	REV
1 : 50 @ A3	SSTN-20	1.209.1	3

AUSTRALASIAN HFG STANDARD COMPONENTS

Room Layout Sheet


RLS Room Code: **SSTN-20**

1:50 2.5m 2 1.5 1 0.5 0


Room Name:

STAFF STATION, 20m²


BIMID	DESCRIPTION
2000	FLOOR VINYL COVED SKIRTING
4010	WALL PROTECTION - CRASH RAIL 4010
FE-11400	COMPUTER - PC & MONITOR
FE-54510	TELEPHONE - HANDSET, STANDARD
FE-68700	XRAY VIEWER - 2 SCREEN
FF-2100	CHAIR - ERGONOMIC OFFICE
FF-4235	STAFF STATION 2 - HIGH PERFORMANCE SURFACES
FF-5824	WASTE BIN, GENERAL
FF-16840	PARTITION - LAMINATE
FF-17250	PEDESTAL DRAWER UNIT- MOBILE
FF-17360	PINBOARD - FABRIC COVERED
FF-21250	STAFF STATION 2 - HIGH PERFORMANCE SURFACES
FF-24200	WHEELCHAIR
S-1006	VOICE DATA OUTLET - DOUBLE
S-1416	LIGHT CONTROL PANEL
S-5070	TEMPERATURE CONTROL
S-6055	SPECIAL TASK LIGHT, BUILT-IN
S-6200	LIGHT SWITCH - PELMET TASK LIGHT
S-7050	GAS ALARM PANEL
S-9001	GENERAL POWER OUTLET - DOUBLE
S-9060	GENERAL POWER OUTLET - SPECIAL FOR EQUIPMENT
S-10005	DURESS ALARM




ELEVATION 1



ELEVATION 2



ELEVATION 3 & ELEVATION 4 (MIRRORED)



ELEVATION 5 (1 : 50 @ A3)



REV	DESCRIPTION	DATE
3	This RLS has been redocumented	01.03.2016

FOR GUIDANCE

SCALE	RLS Room Code	Room Tag	REV
1 : 50 @ A3	SSTN-20	1.209.2	3