

Department	Standard Components	Room Tag: 4770
Room Name	Waiting - Sub	Room Code: WAIT-SUB
Net Room Area Briefed	5.0 M2	
No of Rooms	1	
Subtotal of Briefed Area	5.00 M2	
Hours of Operation	24 Hours	
Occupancy	Up to 5	
Also covers these Rooms		
Description/ Special Requirements	A satellite area for visitors, families and patients to wait, located within Departmental Units, close to Procedures/ Imaging rooms or Offices. The Sub-Waiting area should accommodate parking space for wheelchairs as required.	
Amendment	07.04.05, - First Draft 10.03.09, - 2009 AUSHFG Review; default finishes noted	

Room Fabric and outline specifications

ID	Fabric	Material	Finish	Specification	Selection	Remarks
5060	Ceiling	Acoustic	Prefinished	Drop-in tiles, 600x1200		
6030	Cornice	Aluminium	Powdercoat	24mm shadow angle		
1149	Floor finish	Carpet	90/10 Wool/ Nylon	Broadloom, 48 oz.		Default = Carpet: vinyl also acceptable
2010	Skirting	Vinyl	Prefinished	Feather edged, 150 mmH		Default = Feather edged: or floor vinyl coved skirting
3000	Wall finish	Paint	Acrylic, washable			
4030	Wall protection	Composite	Prefinished PVC	Corner guards to 900 AFFL		as required, Equal to Acrovyn
4020	Wall protection	Composite	Prefinished PVC	Crash rail at 900 AFFL		Equal to Acrovyn

Fittings and Furniture (FF)

ID	Description	Category	Group	Qty	Selection / Remarks
2700	Chair: waiting	Furniture/ Fitting	3	4	some with arms, space for wheelchair
13120	Rack: magazine/ pamphlet	Furniture/ Fitting	3	1	
22800	Table: low	Furniture/ Fitting	3	2	small

Fixtures, Equipment and associated Services (FE)**Services**

ID	Description	Service Category	Qty	Selection / Remarks
5000	Airconditioning	HVAC		
6000	General fluorescent	Lighting		
9000	GPO: Single	Power	1	