

# Australasian Health Facility Guidelines

---

## Part D - Infection Prevention and Control

### 920 - GLOSSARY OF TERMS

*Uncontrolled when printed*

**© 25/05/2015 Australasian Health Infrastructure Alliance**

The Australasian Health Facility Guidelines (AusHFG) and the information in them are the copyright of the Australasian Health Infrastructure Alliance (AHIA). The information in the AusHFG is made freely available.

***Australasian Health Facility Guidelines***

Address: PO Box 1060, North Sydney NSW 2059

Website: <http://www.healthfacilityguidelines.com.au>

Email: [webmaster@healthfacilityguidelines.com.au](mailto:webmaster@healthfacilityguidelines.com.au)

The AusHFG are an initiative of the Australasian Health Infrastructure Alliance (AHIA). AHIA membership is comprised of representatives from government health infrastructure planning and delivery entities in all jurisdictions in Australia and New Zealand.

***Disclaimer***

AHIA gives no warranty or guarantee that the information in the AusHFG is correct, complete or otherwise suitable for use. AHIA shall not be liable for any loss howsoever caused whether due to negligence or otherwise arising from the use of or reliance on this information.

AHIA recommends that those seeking to rely on the information in the AusHFG obtain their own independent expert advice.

## INDEX

GLOSSARY OF TERMS	4
Definitions	4
Immunocompromised Patients	4
Standard and Additional Precautions	4
Personal Protective Equipment (PPE)	5
References	5

## GLOSSARY OF TERMS

### Definitions

---

**920.001.000** For the benefit of the project team, the following commonly used terms are described  
603144 below:

- healthcare associated infection (HAI): any infections that occur during or after a health care encounter that was not present, or incubating, on admission or related to a previous health care encounter (Krieger et al. 2002);
- MRSA: Methicillin resistant Staphylococcus aureus;
- cohorting: accommodation of patients with the same infectious condition together in the same area; and
- immunosuppressed / compromised: suppression of the normal immune system response potentially resulting in a person becoming more susceptible to infection.

See also Krieger, J.K. et al., 2002, [The Seattle-King County healthy homes project: implementation of a comprehensive approach to improving indoor environmental quality for low-income children with asthma.](#)

### Immunocompromised Patients

---

**920.003.000** Highly immunocompromised patients, such as those receiving allogeneic bone marrow  
603146 transplants have the greatest risk of infection from airborne or waterborne microorganisms such as Aspergillus. Specific engineering parameters may be required. Refer to:

- CDC, 2003, [Guidelines for Environmental Infection Control in Health-Care Facilities](#); and
- Standards Australia, 2003, [HB 260:2003 Hospital Acquired Infections - Engineering Down the Risk.](#)

### Standard and Additional Precautions

---

**920.004.000** The use of standard precautions is the primary strategy for minimising the transmission of  
603147 healthcare-associated infections. Standard precautions include:

- personal hygiene;
- effective hand hygiene before and after patient contact;
- the use of PPE and barriers that may include gloves, gowns, plastic aprons, masks, eye shields or goggles, and waterproof dressings if required;
- appropriate handling and disposal of sharps and other contaminated or infectious waste; and
- aseptic technique.

Additional standard precautions are designed for patients known or suspected to be infected with pathogens for which transmission based precautions beyond standard precautions are needed to interrupt transmission in healthcare settings. Transmission based precautions are also designed to protect immuno-compromised patients from contracting HAIs while in protective isolation.

## Personal Protective Equipment (PPE)

---

### 920.005.000

603148

In the context of infection control PPE refers to a variety of infection control barriers and respirators used alone, or in combination, to protect mucous membranes, skin, and clothing from contact with recognised and unrecognised sources of infectious agents in healthcare settings. The type of personal protective equipment used will vary based on the level of precautions required.

PPE includes:

- gowns;
- plastic aprons;
- masks and respirators;
- gloves;
- eye protection;
- head coverings; and
- over-shoes.

PPE bays should be provided outside all isolation rooms - including Class S. A PPE bay may be shared between two or more rooms.

For more details see *Standard Components: Room Data Sheets and Room Layout Sheets*.

## References

---

### 920.005.010

960921

- CDC, 2003, [Guidelines for Environmental Infection Control in Health-Care Facilities](#), U.S. Department of Health and Human Services, Centers for Disease Control and Prevention (CDC), Atlanta, GA.
- Krieger, J.K. et al., 2002, [The Seattle-King County healthy homes project: implementation of a comprehensive approach to improving indoor environmental quality for low-income children with asthma](#), Environmental Health Perspectives, vol. 110, pp. 311 - 322, Environmental Health Perspectives, Washington, DC.
- Standards Australia, 2003, [HB 260:2003 Hospital Acquired Infections - Engineering Down the Risk](#), Standards Australia, Sydney, Australia.