

Room Name	ADL Dining		Room Number ADLD
Revision	4		
Issue Date	26.04.2021		
BRIEFING			
Briefed Area	12.00 m ²		
Hours of Operation	up to 24 hours		
Occupancy	up to 4 patients, 1-2 staff		
Acoustics	sound attenuation level-high; acoustic privacy is required.		
Remarks			
Description / Special Requirements	<p>The ADL Dining provides a flexible space for the training and assessment of patients in Activities of Daily Living (ADL) tasks. Typically collocated with the ADL Kitchen, the Dining room supports small group discussions and demonstrations between both rooms and provides a space for debriefing after training and assessment of ADL tasks in the Kitchen.</p> <p>Additional Considerations:</p> <ul style="list-style-type: none"> An operational model for responding to calls from staff/patients will be needed to support the inclusion of a nurse call system and is to be determined based on service requirements. If multiple ADL rooms are combined into an ADL suite nurse call buttons can be rationalised into a central location. External outlook and access to natural light is desirable. 		
SERVICES			
Electrical	BODY PROTECTED <input checked="" type="checkbox"/>	CARDIAC PROTECTED	<input type="checkbox"/>
HVAC	AIRCONDITIONING <input checked="" type="checkbox"/>	AIRCONDITIONING: hepa filtered	<input type="checkbox"/>
	AIRCONDITIONING: positive pressure <input type="checkbox"/>	AIRCONDITIONING: negative pressure	<input type="checkbox"/>
	EXHAUST: room exhaust <input type="checkbox"/>	VENTILATION	<input type="checkbox"/>
Lighting	LIGHTING: colour corrected <input type="checkbox"/>	LIGHTING: dimmable	<input type="checkbox"/>
	LIGHTING: downlights <input type="checkbox"/>	LIGHTING: downlights, dimmable	<input type="checkbox"/>
	LIGHTING: fluorescent/LED, downlights <input type="checkbox"/>	LIGHTING: fluorescent/LED, flush with ceiling, tamper proof	<input type="checkbox"/>
	LIGHTING: fluorescent/LED, general <input checked="" type="checkbox"/>	LIGHTING: indirect	<input type="checkbox"/>
Security / Nurse Call	NURSE CALL SYSTEM <input checked="" type="checkbox"/>		

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-009	CORNICE: wall trim fixing	
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLWA-022	WALL FINISH: vinyl, to 900 AFFL	
WLPR-006	WALL PROTECTION: corner guards	
DWWH-005	WINDOW	desirable

Fittings, Furniture and Equipment (FF&E) Items

Room Name | ADL Dining
Room Number ADLD

AusHFG code	Description	Group	Qty	Comment
FQGE-002	ARTWORK	3	1	
DWWD-004	BLIND: roller	3	1	
FQBS-015	CHAIR: dining	3	3	
FQTA-085	TABLE: square, 1100W, adjustable height	3	1	height adjustable between 750-850H

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ITSE-006	BUTTON: duress, fixed	1	1	
ITCL-004	BUTTON: nurse call, emergency	1	1	+ indicator button & light, may be rationalised to central location if collocated with other ADL Rooms
ITCL-008	BUTTON: nurse call, staff assist	1	1	+ indicator button & light, may be rationalised to central location if collocated with other ADL Rooms
ELGP-208	GPO: double, wall mounted	1	2	
ELPR-006	RCD: residual current device	1	1	
ELBO-015	SWITCH: light, single	1	1	