

Room Name	Bay - Beverage, Enclosed, 5m2		Room Number BBEV-ENC
Revision	4		
Issue Date	20.03.17		
BRIEFING			
Briefed Area	5.00 m ²		
Hours of Operation	24 Hours		
Occupancy	1-2 intermittently		
Acoustics			
Remarks			
Description / Special Requirements	<p>The Beverage Bay is an area for preparing and/or heating refreshments, snacks and some meals, washing some utensils, storing food and drink and disposing of food waste (in accordance with food hygiene requirements). It should also provide space for a meal tray collection trolley. If an instantaneous boiling water unit is provided, it should be hardwired and access restricted as required. The Beverage Bay may be located with ready access to patient areas, staff rooms, or meeting rooms. The Beverage Bay should be adequately recessed to avoid encroachment into the corridor.</p>		
SERVICES			
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No	
Air	AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No	AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No	
Lighting	LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes	LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No	
Nurse Call	NURSE CALL SYSTEM = No		

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
DWGL-005	DOOR: 910mm c/o, single leaf, observation panel, solid core/glass, paint	
DWPR-004	DOOR PROTECTION: protection plate, to 1200 AFFL, PVC, prefinished	optional
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLWA-010	WALL FINISH: splashback, vinyl	to full length of bench, Default: = vinyl, tiles also acceptable

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FIJO-059	BENCH TOP: 600D, joinery under, laminate finish	1	1	with inset sink/drain
FQCW-016	BIN: waste, general, 20L	3	1	under bench
HYGE-008	BOILING WATER UNIT: 5 Litre	1	1	restrict access as required or provide underbench lockable unit

Room Name | Bay - Beverage, Enclosed, 5m2

Room Number BBEV-ENC

AusHFG code	Description	Group	Qty	Comment
FIJO-102	CUPBOARD: drawer unit	1	1	under bench
FIJO-136	CUPBOARD: underbench, double door, adj shelves, lockable	1	1	lockable as required
FIJO-145	CUPBOARD: wall mount, double door, adj shelves, lockable	1	1	
FIJO-153	CUPBOARD: wall mount, shelf unit, adj shelves for microwave	1	1	over bench, optional
FIJO-157	CUPBOARD: wall mount, single door, adj shelves, lockable	1	3	lockable as required
FQCA-015	DISPENSER: ice, potable	1	1	optional; selection of model to comply with infection control requirement
FIDI-025	DISPENSER: paper/hand towel	2	1	to sink
FIDI-030	DISPENSER: soap	2	1	to sink
FQCA-031	FRIDGE: domestic, 250L	3	1	or underbench refrigerator
FQCA-067	OVEN: microwave, domestic	3	1	optional
HYBA-069	SINK: single, with drainer, 930mmL	1	1	lever taps, provide warm water
HYTP-037	TAPWARE: mixer, elbow levers	1	1	
FQSM-037	TROLLEY: tray	3	1	meal tray collection

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	1	above bench
ELGP-109	GPO: single, wall mounted	1	4	fridge; boiling water unit; m/wave, ice machine
ELBO-015	SWITCH: light, single	1	1	