

Room Name	Bay - Handwashing, Type A		Room Number BHWS-A
<b>Revision</b>	6		
<b>Issue Date</b>	18.01.2021		
<b>BRIEFING</b>			
<b>Briefed Area</b>	1.00 m <sup>2</sup>		
<b>Hours of Operation</b>	24 Hours		
<b>Occupancy</b>	1		
<b>Acoustics</b>			
<b>Remarks</b>			
<b>Description / Special Requirements</b>	The Bay - Handwashing, Type A provides handwashing facilities for staff use in areas requiring clinical handwashing prior to undertaking selected procedures and where handwashing up to the elbow may be necessary. The basin is to be a large, wall-mounted, 'scrub' type, with hands-free taps that may be wall-mounted elbow operated, foot/knee operated or operated with electronic sensor taps. Warm and cold water are to be delivered by a common spout.		
<b>SERVICES</b>			
<b>General Requirements</b>	BODY PROTECTED	<input type="checkbox"/>	CARDIAC PROTECTED <input type="checkbox"/>
<b>Air</b>	AIRCONDITIONING	<input checked="" type="checkbox"/>	AIRCONDITIONING: hepa filtered <input type="checkbox"/>
	AIRCONDITIONING: positive pressure	<input type="checkbox"/>	AIRCONDITIONING: negative pressure <input type="checkbox"/>
	EXHAUST: room exhaust	<input type="checkbox"/>	VENTILATION <input type="checkbox"/>
<b>Lighting</b>	LIGHTING: colour corrected	<input type="checkbox"/>	LIGHTING: dimmable <input type="checkbox"/>
	LIGHTING: downlights	<input type="checkbox"/>	LIGHTING: downlights, dimmable <input type="checkbox"/>
	LIGHTING: fluorescent/LED, downlights	<input type="checkbox"/>	LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/>
	LIGHTING: fluorescent/LED, general	<input checked="" type="checkbox"/>	LIGHTING: indirect <input type="checkbox"/>
<b>Nurse Call</b>	NURSE CALL SYSTEM	<input type="checkbox"/>	

**Room Fabrics**

AusHFG code	Description	Comment
CLFS-006	CEILING: plasterboard, flush set, suspended, paint, washable	ceiling tiles are also acceptable, ceiling to be coordinated with adjacent area
CLCN-008	CORNICE: square set flush between wall and ceiling, paint	
FLVY-003	FLOOR FINISH: vinyl, seamless, coved, non slip	floor finish of adjacent area must be minimum slip rating R10; Pendulum P3 or agreed equivalent to extend under basin. significant change in colour to be avoided
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLWA-007	WALL FINISH: splashback	
WLPR-006	WALL PROTECTION: corner guards	if bay is recessed

**Fittings, Furniture and Equipment (FF&E) Items**

AusHFG code	Description	Group	Qty	Comment
HYBA-009	BASIN: handwash, Type A, scrub	1	1	
FQCW-016	BIN: waste, general, 20L	3	1	

Room Name | Bay - Handwashing, Type A

Room Number BHWS-A

AusHFG code	Description	Group	Qty	Comment
FIDI-014	DISPENSER: disposable glove	2	1	
FIDI-025	DISPENSER: paper/hand towel	2	1	
FIDI-030	DISPENSER: soap	2	1	
FIDI-031	DISPENSER: soap antiseptic	2	1	
HYTP-037	TAPWARE: mixer, elbow levers	1	1	

**Engineering Services**