

**Room Name** | Bay - Meal Trolley, 4m2

**Room Number** BMT-4

**Revision** 5  
**Issue Date** 20.03.17

**BRIEFING**
**Briefed Area** 4.00 m<sup>2</sup>  
**Hours of Operation** 24 Hours  
**Occupancy**  
**Acoustics**  
**Remarks**
**Description / Special Requirements**

An open storage bay for holding meal trolleys during meal delivery and collection times. Meal service and mid-meal trolleys to be confirmed; special power may be required for Cook/chill rethermalisation trolleys. Special Design Requirements: The Bay should be deep enough to ensure trolleys do not impede corridor circulation; minimum depth 1200mm, however, the depth may need to increase to 1500mm depending on the trolley selected.

**SERVICES**
**General Requirements**

BODY PROTECTED = No

CARDIAC PROTECTED = No

**Air**

AIRCONDITIONING = Yes

AIRCONDITIONING: hepa filtered = No

AIRCONDITIONING: positive pressure = No

AIRCONDITIONING: negative pressure = No

EXHAUST: room exhaust = No

VENTILATION = No

**Lighting**

LIGHTING: colour corrected = No

LIGHTING: dimmable = No

LIGHTING: downlights = No

LIGHTING: downlights, dimmable = No

LIGHTING: fluorescent, downlights = No

LIGHTING: fluorescent, flush with ceiling, tamper proof = No

LIGHTING: fluorescent, general = Yes

LIGHTING: indirect = No

**Nurse Call**

NURSE CALL SYSTEM = No

**Room Fabrics**

AusHFG code	Description	Comment
CLFS-006	CEILING: plasterboard, flush set, suspended, paint, washable	Acoustic tiles acceptable.
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	Default = vinyl: or consistent with adjacent area
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	Default = vinyl: or consistent with adjacent area
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-010	WALL PROTECTION: corner guards, to 900 AFFL	Align heights of corner guards with other corridor elements
WLPR-021	WALL PROTECTION: crash rail, at 900 AFFL	As required.

**Fittings, Furniture and Equipment (FF&E) Items**

AusHFG code	Description	Group	Qty	Comment
FQCA-082	TROLLEY: food delivery, hot/cold	3	1	as required
FQSM-037	TROLLEY: tray	3	1	as required, depends on food delivery system

**Engineering Services**

Room Name | Bay - Meal Trolley, 4m2

Room Number BMT-4

AusHFG code	Description	Group	Qty	Comment
ELGP-240	GPO: three phase, double	1	1	1 per food delivery or rethermalisation trolley, as required