

Room Name	Bay - Public Telephone		Room Number BPH
Revision	5		
Issue Date	20.03.17		
BRIEFING			
Briefed Area	2.00 m ²		
Hours of Operation	24 Hours		
Occupancy	1 - 2		
Acoustics			
Remarks			
Description / Special Requirements	A bay with provision for public telephones; Access should be provided for persons with disabilities. The Public Telephone Bay should be located where justified, such as Main Entry and Emergency Department. Security considerations: Fixed to wall to prevent theft/tampering. Design considerations: A 2m2 bay will accommodate one (1) public telephone and a taxi phone. Add 1m2 per additional telephone. A bay is shown, however, wall mounted in a corridor may be an alternate approach.		
SERVICES			
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No	
Air	AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No	AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No	
Lighting	LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = Yes LIGHTING: fluorescent, general = Yes	LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No	
Nurse Call	NURSE CALL SYSTEM = No		

Room Fabrics

AusHFG code	Description	Comment
CLTI-001	CEILING: acoustic, drop-in tiles	Or consistent with adjacent space
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	Default = vinyl: or consistent with adjacent space
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	Default = vinyl: or consistent with adjacent space
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-011	WALL PROTECTION: corner guards, to 900 AFFL min.	Align heights of corner guards with other corridor elements

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FIJO-017	BENCH: 600D, open under	1	2	1 at disabled access height
WLPT-003	PARTITION: laminate	1	1	Between telephones bays. Quantity to suit number of bays.
ITNE-057	TELEPHONE: public	3	1	Add an additional public telephone if taxi phone not required.

Room Name | Bay - Public Telephone

Room Number BPH

AusHFG code	Description	Group	Qty	Comment
ITNE-058	TELEPHONE: public, taxi service	3	1	Optional. Locate at main entry point to Hospital and/or Ambulatory Care. If not required add another public telephone.

Engineering Services

AusHFG code	Description	Group	Qty	Comment
LIFX-030	LIGHT: downlight, recessed, compact fluorescent	1	2	
ITIN-016	OUTLET: data, single RJ45, wall mounted	1	2	