

Room Name	Bay - PPE (Personal Protective Equipment)	Room Number BPPE
Revision	5	
Issue Date	20.03.17	
BRIEFING		
Briefed Area	1.50 m ²	
Hours of Operation	24 Hours	
Occupancy		
Acoustics		
Remarks		
Description / Special Requirements	A bay for the storage of personal protection equipment such as gloves, gowns, overshoes and masks for infection control purposes. The bay may be located with the Handwash Bay, immediately outside Isolation Rooms of all types or outside patient rooms. One PPE Bay may be shared by 2 rooms.	
SERVICES		
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No
Air	AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No	AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No
Lighting	LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes	LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No
Nurse Call	NURSE CALL SYSTEM = No	

RETIRED

Room Fabrics

AusHFG code	Description	Comment
CLFS-006	CEILING: plasterboard, flush set, suspended, paint, washable	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-013	WALL PROTECTION: corner guards, to 1500 AFFL, prefinished PVC	as required; equal to 'Acrovyn'
WLPR-019	WALL PROTECTION: crash rail, at 900 AFFL, prefinished PVC	Equal to Acrovyn

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FIJO-155	CUPBOARD: wall mount, shelf unit, fixed shelves	1	1	for gloves, gowns, masks etc
FIDI-001	DISPENSER: alcohol based hand rub	2	1	optional
FIDI-014	DISPENSER: disposable glove	2	1	
FIDI-017	DISPENSER: goggles	2	1	
FIDI-018	DISPENSER: gown	2	1	
FIDI-021	DISPENSER: mask	3	1	
FIBM-006	MIRROR: fixed, glass	1	1	

Room Name | Bay - PPE (Personal Protective Equipment)

Room Number BPPE

AusHFG code	Description	Group	Qty	Comment
FQSM-016	TROLLEY	3	1	

Engineering Services

RETIRED