

Room Name	Bay - Pneumatic Tube		Room Number BPTS
Revision	3		
Issue Date	20.03.17		
BRIEFING			
Briefed Area	1.00 m ²		
Hours of Operation	24 Hours		
Occupancy	1		
Acoustics			
Remarks			
Description / Special Requirements	The Pneumatic Tube Station (PTS) Bay provides an area for dispatching and receiving of items via the pneumatic tube system. Where a Bay - Pathology (POCT) exists, it will ideally be collocated. Bay to be located in a staff accessible area.		
SERVICES			
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No	
Air	AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No	AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No	
Lighting	LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes	LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No	
Nurse Call	NURSE CALL SYSTEM = No		

Room Fabrics

AusHFG code	Description	Comment
CLFS-006	CEILING: plasterboard, flush set, suspended, paint, washable	Acoustic tiles acceptable.
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-011	WALL PROTECTION: corner guards, to 900 AFFL min.	Align heights of corner guards with other corridor elements

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQSN-001	BASKET: drop in, pneumatic station	3	1	
MMLA-072	RACK: canister storage (pneumatic tube)	1	1	Storage of PTS cannisters, wall mounted. Number to suit project specific requirements.
MMGE-097	STATION: pneumatic tube	1	1	Size of station to be confirmed.

Engineering Services

Room Name | Bay - Pneumatic Tube

Room Number BPTS

AusHFG code	Description	Group	Qty	Comment
LIFX-015	LIGHT: pneumatic tube alert light	1	1	