

Room Name	Bay - Resuscitation Trolley		Room Number BRES
Revision	5		
Issue Date	20.03.17		
BRIEFING			
Briefed Area	1.50 m ²		
Hours of Operation	24 Hours		
Occupancy			
Acoustics			
Remarks			
Description / Special Requirements	A recessed bay to provide supervised holding of the resuscitation trolley and equipment. The bay should be located close to a Staff Station. Rapid emergency access to the trolley and from this area to Patient Areas is essential. Special Design Requirements: the Bay shall be a minimum of 800mm deep.		
SERVICES			
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No	
Air	AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No	AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No	
Lighting	LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes	LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No	
Nurse Call	NURSE CALL SYSTEM = No		

Room Fabrics

AusHFG code	Description	Comment
CLFS-006	CEILING: plasterboard, flush set, suspended, paint, washable	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-010	WALL PROTECTION: corner guards, to 900 AFFL	
WLPR-020	WALL PROTECTION: crash rail, at 350 AFFL	
WLPR-021	WALL PROTECTION: crash rail, at 900 AFFL	

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
MMHA-002	DEFIBRILLATOR	3	1	
MMGE-051	MACHINE: electrocardiography (ECG), c/w trolley	3	1	
MMHA-016	SUCTION: TWIN-O-VAC UNIT	3	1	
MMGE-128	TROLLEY: medical equipment	3	1	
MMHA-027	TROLLEY: resuscitation, adult	3	1	

Room Name | Bay - Resuscitation Trolley

Room Number BRES

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-223	GPO: emergency power, double, wall mounted	1	2	for recharging emergency equipment