

Room Name | Bay - Storage, 1m2

Room Number BS-1

Revision 5
Issue Date 20.03.17

BRIEFING
Briefed Area 1.00 m²
Hours of Operation Available 24 Hours
Occupancy
Acoustics
Remarks
Description / Special Requirements An open storage bay for holding of supplies in frequent use. Stock will be stored in open, heavy duty, adjustable shelving units. Special Design Requirements: the Bay should not impede corridor circulation

SERVICES

| | | |
|-----------------------------|--|---|
| General Requirements | BODY PROTECTED = No | CARDIAC PROTECTED = No |
| Air | AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No | AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No |
| Lighting | LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes | LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No |
| Nurse Call | NURSE CALL SYSTEM = No | |

RETIRED

Room Fabrics

| AusHFG code | Description | Comment |
|-------------|---|-------------------------------|
| CLFS-006 | CEILING: plasterboard, flush set, suspended, paint, washable | consistent with adjacent area |
| CLCN-002 | CORNICE: aluminium, 24mm shadow angle, powdercoat | consistent with adjacent area |
| FLVY-007 | FLOOR FINISH: vinyl, seamless, coved, standard slip resistant | consistent with adjacent area |
| FLSK-010 | SKIRTING: vinyl, floor vinyl coved, 150H, prefinished | consistent with adjacent area |
| WLWA-004 | WALL FINISH: paint, acrylic, washable | |
| WLPR-013 | WALL PROTECTION: corner guards, to 1500 AFFL, prefinished PVC | Equal to 'Acrovyn' |

Fittings, Furniture and Equipment (FF&E) Items

| AusHFG code | Description | Group | Qty | Comment |
|-------------|---|-------|-----|------------|
| FQSN-086 | SHELVING: floor standing, 900W x 400D x 2100H nom., metal | 3 | 2 | heavy duty |

Engineering Services