

**Room Name** | Bay - Vending Machine

**Room Number** BVM-3

**Revision** 5  
**Issue Date** 20.03.17

**BRIEFING**

**Briefed Area** 3.00 m<sup>2</sup>  
**Hours of Operation** Available 24 Hours  
**Occupancy** 1 - 2 intermittently  
**Acoustics**  
**Remarks**  
**Description / Special Requirements** A recessed bay off corridor or a public area for vending machines. Add 1.5m2 per additional vending machine.

**SERVICES**

**General Requirements** BODY PROTECTED = No      CARDIAC PROTECTED = No  
**Air** AIRCONDITIONING = Yes      AIRCONDITIONING: hepa filtered = No  
 AIRCONDITIONING: positive pressure = No      AIRCONDITIONING: negative pressure = No  
 EXHAUST: room exhaust = No      VENTILATION = No  
**Lighting** LIGHTING: colour corrected = No      LIGHTING: dimmable = No  
 LIGHTING: downlights = No      LIGHTING: downlights, dimmable = No  
 LIGHTING: fluorescent, downlights = No      LIGHTING: fluorescent, flush with ceiling, tamper proof = No  
 LIGHTING: fluorescent, general = Yes      LIGHTING: indirect = No  
**Nurse Call** NURSE CALL SYSTEM = No

**Room Fabrics**

AusHFG code	Description	Comment
CLTI-001	CEILING: acoustic, drop-in tiles	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	consistent with adjacent area
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	consistent with adjacent area
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	consistent with adjacent area
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-011	WALL PROTECTION: corner guards, to 900 AFFL min.	

**Fittings, Furniture and Equipment (FF&E) Items**

AusHFG code	Description	Group	Qty	Comment
FQCA-055	MACHINE: vending, cold, drinks	3	1	Type to be project specific.
FQCA-057	MACHINE: vending, snacks	3	1	Type to be project specific.

**Engineering Services**

AusHFG code	Description	Group	Qty	Comment
ELGP-109	GPO: single, wall mounted	1	2	1 per vending machine
ITIN-016	OUTLET: data, single RJ45, wall mounted	1	2	1 per vending machine.