

Room Name	Bay - Vending Machine	Room Number BVM
Revision	6	
Issue Date	24.06.2022	
BRIEFING		
Briefed Area	2.00 m ²	
Hours of Operation	Available 24 Hours	
Occupancy	1 - 2 intermittently	
Acoustics		
Remarks		
Description / Special Requirements	<p>The Bay - Vending Machine provides space and services for vending machines in public and staff areas. The area may be in a recessed bay along a corridor or in an open area and should be located to ensure adjacent circulation paths are not impeded with intermittent use. Each additional vending machine will require approximately 1.5m² of additional area as well as associated services.</p> <p>Additional Considerations:</p> <ul style="list-style-type: none"> Sufficient clearance is required around the machines for manoeuvring in the case of removal for maintenance, repair or replacement. Bulkheads and joinery surrounds may be provided to prevent users from tipping or shaking machines but should be designed to allow for access for repairs and maintenance (e.g. removable). Alternative types of vending machines such as for toiletries, phone charging accessories, etc. that may be useful to patients, visitors, and staff, e.g. for unexpected overnight stays, and staff at end of trip areas, may also be considered. Hand hygiene facilities, such as alcohol-based hand rub, should be provided nearby in line with local infection control policies. 	
SERVICES		
Electrical	BODY PROTECTED <input type="checkbox"/> CARDIAC PROTECTED <input type="checkbox"/>	
HVAC	AIRCONDITIONING <input checked="" type="checkbox"/> AIRCONDITIONING: hepa filtered <input type="checkbox"/> AIRCONDITIONING: positive pressure <input type="checkbox"/> AIRCONDITIONING: negative pressure <input type="checkbox"/> EXHAUST: room exhaust <input type="checkbox"/> VENTILATION <input type="checkbox"/>	
Lighting	LIGHTING: colour corrected <input type="checkbox"/> LIGHTING: dimmable <input type="checkbox"/> LIGHTING: downlights <input type="checkbox"/> LIGHTING: downlights, dimmable <input type="checkbox"/> LIGHTING: fluorescent/LED, downlights <input type="checkbox"/> LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/> LIGHTING: fluorescent/LED, general <input checked="" type="checkbox"/> LIGHTING: indirect <input type="checkbox"/>	
Security / Nurse Call	NURSE CALL SYSTEM <input type="checkbox"/>	

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	coordinated with adjacent area
CLCN-009	CORNICE: wall trim fixing	coordinated with adjacent area
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	coordinated with adjacent area
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	coordinated with adjacent area
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-006	WALL PROTECTION: corner guards	coordinated with adjacent wall protection

Fittings, Furniture and Equipment (FF&E) Items

Room Name | **Bay - Vending Machine**
Room Number BVM

AusHFG code	Description	Group	Qty	Comment
FIJO-212	BULKHEAD: joinery	1	1	optional
FQCA-055	MACHINE: vending, cold, drinks	3	1	quantity and type of machine dependent on service requirements
FQCA-057	MACHINE: vending, snacks	3	1	quantity and type of machine dependent on service requirements

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-109	GPO: single, wall mounted	1	2	1 to each vending machine
ITIN-016	OUTLET: data, single RJ45, wall mounted	1	2	1 to each vending machine