

Room Name	Bay - Wheelchair Park		Room Number BWC
Revision	6		
Issue Date	28.06.2021		
BRIEFING			
Briefed Area	4.00 m ²		
Hours of Operation	Available 24 hours		
Occupancy			
Acoustics			
Remarks			
Description / Special Requirements	<p>An open bay for storing wheelchairs. Typically located in close proximity to the main entrance or department entry.</p> <p>Additional Design Considerations:</p> <ul style="list-style-type: none"> The bay should be deep enough to ensure that wheelchairs do not impede adjacent circulation space; a minimum depth of 1300mm is recommended. The ability to secure wheelchairs (e.g. with locks or by enclosing the bay) to be considered as required. 		
SERVICES			
Electrical	BODY PROTECTED	<input type="checkbox"/>	CARDIAC PROTECTED <input type="checkbox"/>
HVAC	AIRCONDITIONING	<input checked="" type="checkbox"/>	AIRCONDITIONING: hepa filtered <input type="checkbox"/>
	AIRCONDITIONING: positive pressure	<input type="checkbox"/>	AIRCONDITIONING: negative pressure <input type="checkbox"/>
	EXHAUST: room exhaust	<input type="checkbox"/>	VENTILATION <input type="checkbox"/>
Lighting	LIGHTING: colour corrected	<input type="checkbox"/>	LIGHTING: dimmable <input type="checkbox"/>
	LIGHTING: downlights	<input type="checkbox"/>	LIGHTING: downlights, dimmable <input type="checkbox"/>
	LIGHTING: fluorescent/LED, downlights	<input type="checkbox"/>	LIGHTING: fluorescent/LED, flush with ceiling, tamper proof <input type="checkbox"/>
	LIGHTING: fluorescent/LED, general	<input checked="" type="checkbox"/>	LIGHTING: indirect <input type="checkbox"/>
Security / Nurse Call	NURSE CALL SYSTEM	<input type="checkbox"/>	

Room Fabrics

AusHFG code	Description	Comment
CLTI-008	CEILING: plasterboard, drop-in tiles, prefinished, 600 x 1200	coordinated with adjacent area
CLCN-009	CORNICE: wall trim fixing	coordinated with adjacent area
FLVY-007	FLOOR FINISH: vinyl, seamless, coved, standard slip resistant	coordinated with adjacent area
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	coordinated with adjacent area
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLWA-020	WALL FINISH: vinyl, to 1500 AFFL	crash rails are also acceptable
WLPR-006	WALL PROTECTION: corner guards	coordinated with adjacent wall protection

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
MMBE-045	WHEELCHAIR	3	2	quantity to suit service requirements

Room Name | Bay - Wheelchair Park

Room Number BWC

AusHFG code	Description	Group	Qty	Comment
MMBE-050	WHEELCHAIR: bariatric	3	1	quantity to suit service requirements

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ELGP-208	GPO: double, wall mounted	1	1	optional