

Room Name	Bay - Water Dispenser	Room Number BWD-1				
Revision	3					
Issue Date	20.03.17					
BRIEFING						
Briefed Area	1.00 m ²					
Hours of Operation	Available 24 Hours					
Occupancy	1 intermittently					
Acoustics						
Remarks						
Description / Special Requirements	Recessed bay off a corridor, a public waiting area or associated with a Main Entry / Lobby area for a drinking water dispenser. Suitability will depend on Infection Control policies and the provision of vending machines/retail in close proximity. Preference to provide disposable cups with a dispensing holder than a bubbler.					
SERVICES						
General Requirements	BODY PROTECTED = No	CARDIAC PROTECTED = No				
Air	AIRCONDITIONING = Yes AIRCONDITIONING: positive pressure = No EXHAUST: room exhaust = No	AIRCONDITIONING: hepa filtered = No AIRCONDITIONING: negative pressure = No VENTILATION = No				
Lighting	LIGHTING: colour corrected = No LIGHTING: downlights = No LIGHTING: fluorescent, downlights = No LIGHTING: fluorescent, general = Yes	LIGHTING: dimmable = No LIGHTING: downlights, dimmable = No LIGHTING: fluorescent, flush with ceiling, tamper proof = No LIGHTING: indirect = No				
Nurse Call	NURSE CALL SYSTEM = No					

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	Or consistent with adjacent area.
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	Or consistent with adjacent area.
FLVY-009	FLOOR FINISH: vinyl, seamless, coved, wet area, non-slip	Significant change in colour to be avoided.
FLSK-010	SKIRTING: vinyl, floor vinyl coved, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
WLPR-011	WALL PROTECTION: corner guards, to 900 AFFL min.	Align heights of corner guards with other corridor elements

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FQCW-016	BIN: waste, general, 20L	3	1	
FQCA-014	DISPENSER: cup	3	1	
FQCA-019	DISPENSER: water	1	1	

Engineering Services

ALLIA AL ANDROIS DE L'ARRANT MA L'ARRANT M

Page: 1 Print Date: 20/03/2017



Room Data Sheet



Room Name

Bay - Water Dispenser

Room Number BWD-1

AusHFG code	Description	Group	Qty	Comment
ELGP-109	GPO: single, wall mounted	1	1	Optional: chilled/filtered water.

ALHA

australision health infrastructure allicoce
controversi Daubschaus in deuter water machin industri