

| Room Name | Procedure Room - Endoscop | Room - Endoscopy Room Number ENPR | | |
|---------------------------------------|--|--|--|-----------------|
| Revision | 1 | | | |
| Issue Date | 02.07.2018 | | | |
| BRIEFING | | | us oxide in operating theatres, procedural suites and emer | |
| Briefed Area | howe | ver, still comr | nonly used in maternity and paediatric services. With the except | tion of |
| | • | | iatric services, reticulated nitrous oxide and associated scavenge of optional. Where found to be clinically necessary, provision of r | |
| Hours of Operation Occupancy | oxide | | lets or via cylinder is to be determined at a project level, based ected clinical needs, security of gas sources, operational consider | |
| Acoustics | | | and measurement of usage, and management of leakage. | alions |
| Remarks | | | | |
| Description / Special Requirements | procedures under sedation and ge including ENT, Urology, Endoscop access to a reprocessing area (or Design Considerations: Minimum c use of X-ray equipment - to be ass glazed with integral venetian blinds with its associated line isolation an | neral anaest y and any of route to repr critical dimen essed by Ra s. Provide iso d overload n | aseptic environment in which to carry out endoscopic hetic. The Procedure Room may be used for specialities her similar procedures. The Procedure Room will have directed in the second state of the second st | onal on e |
| SERVICES | | | | |
| General Requirements | BODY PROTECTED | V | CARDIAC PROTECTED | |
| Air | AIRCONDITIONING | | AIRCONDITIONING: hepa filtered | |
| | AIRCONDITIONING: positive pres | sure ✓ | AIRCONDITIONING: negative pressure | |
| | EXHAUST: room exhaust | V | VENTILATION | |
| Lighting | LIGHTING: colour corrected | √ | LIGHTING: dimmable | V |
| | LIGHTING: downlights | | LIGHTING: downlights, dimmable | |
| | LIGHTING: fluorescent/LED, down | lights | LIGHTING: fluorescent/LED, flush with ceiling, tamper proof | |
| | LIGHTING: fluorescent/LED, gener | ral | LIGHTING: indirect | |
| Nurse Call | NURSE CALL SYSTEM | V | | |

Room Fabrics

| AusHFG code | Description | Comment |
|-------------|---|---|
| CLFS-005 | CEILING: plasterboard, flush set, suspended, paint, scrub resistant | |
| CLCN-008 | CORNICE: square set flush between wall and ceiling, paint | |
| DWGL-051 | DOOR: 1600mm c/o, double leaf, observation panel, solid core/glass, paint | auto release, delayed action - check height of doors against major transferable equipment, eg. image intensifier |
| DWGL-011 | DOOR: 950mm c/o, single leaf, observation panel, solid core/glass, paint | auto release, delayed action |
| DWPR-011 | DOOR PROTECTION: protection plate, to full height | |
| DWPR-010 | DOOR PROTECTION: to door frame, PVC, prefinished | optional |
| FLVY-004 | FLOOR FINISH: vinyl, seamless, coved, non-slip, safety | under basin |
| FLVY-007 | FLOOR FINISH: vinyl, seamless, coved, standard slip resistant | |
| FLSK-010 | SKIRTING: vinyl, floor vinyl coved, 150H, prefinished | |
| WLWA-019 | WALL FINISH: vinyl, full height | |

Fittings, Furniture and Equipment (FF&E) Items



Page: 1 Print Date: 03/07/2018





Room Name

Procedure Room - Endoscopy

Room Number ENPR

| AusHFG code | Description | Group | Qty | Comment |
|-------------|---|-------|-----|---|
| MMGE-002 | ADAPTER: suction | 3 | 6 | for outlets on pendants |
| HYBA-009 | BASIN: handwash, Type A, scrub | 1 | 1 | |
| FIJO-013 | BENCH: 450D, open under, stainless steel | 1 | 1 | |
| FIJO-100 | BENCH LEGS: stainless steel, for bench top | 1 | 1 | |
| FQCW-016 | BIN: waste, general, 20L | 3 | 1 | |
| FIHR-064 | BRACKET: for display screen, arm mounted, rotating | 2 | 1 | attached to MMSP-035 |
| FIHR-006 | BRACKET: for display screen, wall mounted | 2 | 1 | |
| FIHR-066 | BRACKET: for display screen, wall mounted, articulated, adj height | 2 | 1 | At write up bench |
| FIJO-212 | BULKHEAD: joinery | 1 | 2 | plasterboard bulkhead is an optional alternative |
| MMIC-010 | CABINET: endoscope, drying & storage, pass-through filtered / forced air drying | 1 | 1 | optional |
| ITCL-012 | CAMERA: observation | 2 | 1 | supplied with DOR system, optional |
| MMGE-014 | CHAIR: anaesthetist | 3 | 1 | |
| MMGE-167 | CHAIR: surgeon | 3 | 2 | |
| ITCL-020 | CLOCK: clock system slave, dual digital / elapsed time | 1 | 1 | |
| ITNE-066 | COMPUTER: all-in-one, wall mounted | 3 | 1 | |
| ITNE-008 | COMPUTER: for workstation on wheels | 3 | 1 | |
| ITAV-060 | CONTROL PANEL: AV integration system, wall mount | 2 | 1 | supplied with DOR system |
| FIJO-214 | CUPBOARD: tall, double door, glazed, adj shelves, lockable | 1 | 3 | |
| FIDI-001 | DISPENSER: alcohol based hand rub | 2 | 2 | |
| FIDI-014 | DISPENSER: disposable glove | 2 | 1 | |
| FIDI-017 | DISPENSER: goggles | 2 | 1 | |
| FIDI-025 | DISPENSER: paper/hand towel | 2 | 1 | |
| FIDI-030 | DISPENSER: soap | 2 | 1 | |
| FIDI-031 | DISPENSER: soap antiseptic | 2 | 1 | |
| MMOP-096 | DISPLAY SCREEN: AV integration | 2 | 1 | supplied with DOR system, 60" LCD screen for image display |
| MMOP-096 | DISPLAY SCREEN: AV integration | 2 | 1 | supplied with DOR system, on pendant arm |
| MGFP-002 | FLOWMETER: medical air | 3 | 2 | for outlets on pendants |
| MGFP-004 | FLOWMETER: oxygen | 3 | 4 | for outlets on pendants |
| MMGE-045 | IV STAND: mobile | 3 | 1 | |
| ITNE-067 | KEYBOARD: keyboard and mouse only | 3 | 1 | |
| MMOP-028 | KICKBUCKET & STAND | 3 | 1 | |
| LIPO-006 | LIGHT: examination, mobile | 3 | 1 | |
| MMGE-048 | LINEN CARRIER: dirty, single | 3 | 1 | |
| MMOP-040 | MACHINE: anaesthetic | 3 | 1 | recommended to be with integral monitors |
| MMOP-043 | MACHINE: electrosurgical, diathermy | 3 | 1 | |



Page: 2 Print Date: 03/07/2018





Room Name

Procedure Room - Endoscopy

Room Number ENPR

| AusHFG code | Description | Group | Qty | Comment |
|-------------|---|-------|-----|---|
| ITIN-120 | PATCH PANEL: data integration | 2 | 1 | supplied with DOR system |
| MMSP-035 | PENDANT: single, dual arm, display screen | 2 | 1 | camera ready |
| MMSP-034 | PENDANT: single, dual arm, surgical & anaesthetic combined (fixed or adjustable height) | 2 | 2 | |
| MMGE-078 | PUMP: infusion | 3 | 1 | |
| MMGE-088 | SAFE: dangerous drugs, small | 1 | 1 | |
| DWWH-007 | SHUTTER: for observation panel, magnetic flap for laser protection | 1 | 3 | optional - if lasers in use |
| ITAV-057 | SPEAKER: ceiling recessed | 2 | 2 | supplied with DOR system, optional |
| MMOP-069 | STAND: bowl, single | 3 | 1 | |
| MMGE-168 | STAND: infusion pump, mobile | 3 | 1 | |
| MMOP-103 | SYSTEM: digital integration in operating rooms (DOR) | 2 | 1 | IT and AV system with associated equipment; servers located outside entry to room |
| MMOP-076 | TABLE: mayo | 3 | 1 | |
| HYTP-042 | TAPWARE: sensor | 1 | 1 | |
| ITNE-050 | TELEPHONE: handset, desktop, handsfree | 3 | 1 | to bench |
| ITNE-052 | TELEPHONE: handset, wall mount | 1 | 1 | |
| MMOP-085 | TROLLEY: anaesthetic | 3 | 1 | |
| MMOP-087 | TROLLEY: endoscope | 3 | 1 | |
| MMOP-088 | TROLLEY: endoscopic, equipment | 3 | 1 | |
| MMGE-122 | TROLLEY: gowns | 3 | 1 | |
| MMGE-123 | TROLLEY: instrument | 3 | 1 | |
| MMBE-044 | TROLLEY: patient, transport | 3 | 1 | |
| MMGE-142 | TROLLEY: sharps bin | 3 | 1 | |
| FQSM-039 | TROLLEY: waste bag | 3 | 1 | |
| FIBM-019 | WHITEBOARD: fixed, magnetic | 2 | 1 | optional |
| MMGE-164 | WORKSTATION ON WHEELS: clinical, mobile | 3 | 1 | |

Engineering Services

| AusHFG code | Description | Group | Qty | Comment |
|-------------|--------------------------------------|-------|-----|--------------|
| MGFP-001 | ALARM PANEL: medical gases | 1 | 1 | |
| ITCL-004 | BUTTON: nurse call, emergency | 1 | 1 | |
| ITCL-004 | BUTTON: nurse call, emergency | 1 | 1 | on pendant 2 |
| ITCL-004 | BUTTON: nurse call, emergency | 1 | 1 | on pendant 1 |
| ITCL-005 | BUTTON: nurse call, orderly / porter | 1 | 1 | on pendant 1 |
| ITCL-005 | BUTTON: nurse call, orderly / porter | 1 | 1 | on pendant 2 |
| ITCL-008 | BUTTON: nurse call, staff assist | 1 | 1 | on pendant 1 |
| ITCL-008 | BUTTON: nurse call, staff assist | 1 | 1 | on pendant 2 |
| ITCL-008 | BUTTON: nurse call, staff assist | 1 | 1 | |
| ELBO-003 | CONTROL PANEL: lighting | 1 | 2 | |



Page: 3 Print Date: 03/07/2018





Room Name

Procedure Room - Endoscopy

Room Number ENPR

| AusHFG code | Description | Group | Qty | Comment |
|-------------|---|-------|-----|--|
| ITCL-023 | CONTROL PANEL: master clock system | 1 | 1 | |
| ITIN-140 | DATA PANEL: data / AV outlets, ceiling mounted | 1 | 1 | or pendant mounted; for endoscopy tower |
| ITSE-025 | DOOR RELEASE: access control, remote activation | 1 | 2 | |
| MEEX-008 | EXHAUST: low level | 1 | 1 | for removal of anaes. gases - rectilinear or triangular duct can optionally be provided |
| ELGP-223 | GPO: emergency power, double, wall mounted | 1 | 3 | |
| ELGP-121 | GPO: emergency power, single, on pendant | 1 | 8 | on pendant 2 |
| ELGP-121 | GPO: emergency power, single, on pendant | 1 | 8 | on pendant 1 |
| ELGP-122 | GPO: emergency power, single, on services panel | 1 | 4 | |
| ELGP-123 | GPO: emergency power, single, wall mounted | 1 | 2 | |
| ELGP-110 | GPO: single, wall mounted, cleaner | 1 | 1 | |
| ELGP-132 | GPO: UPS, single, on pendant | 1 | 4 | on pendant 2 |
| ELGP-132 | GPO: UPS, single, on pendant | 1 | 4 | on pendant 1 |
| LIFX-003 | LIGHT: illuminated sign, "Laser in Use" | 1 | 2 | optional - external to room, delete from list if listed in the adjacent room |
| LIFX-002 | LIGHT: illuminated sign, "X-Ray in Use" | 1 | 2 | wording on lights subject to jurisdictional legislation - external to room, delete from list if listed in the adjacent room |
| ELPR-004 | MONITOR: line isolation | 1 | 1 | |
| MGAS-004 | OUTLET: carbon dioxide (CO2), on pendant | 1 | 1 | on pendant 1 |
| MGAS-004 | OUTLET: carbon dioxide (CO2), on pendant | 1 | 1 | on pendant 2 |
| ITIN-023 | OUTLET: data, double RJ45, on data/ AV panel | 1 | 1 | |
| ITIN-026 | OUTLET: data, double RJ45, wall mounted | 1 | 3 | |
| ITIN-014 | OUTLET: data, single RJ45, on pendant | 1 | 4 | on pendant 2 |
| ITIN-014 | OUTLET: data, single RJ45, on pendant | 1 | 4 | on pendant 1 |
| ITIN-063 | OUTLET: HDMI, on data/ AV panel | 1 | 1 | |
| MGAS-021 | OUTLET: medical air (MA), on pendant | 1 | 1 | on pendant 2 |
| MGAS-021 | OUTLET: medical air (MA), on pendant | 1 | 1 | on pendant 1 |
| MGAS-031 | OUTLET: nitrous oxide (N2O), on pendant | 1 | 1 | on pendant 2 |
| MGAS-031 | OUTLET: nitrous oxide (N2O), on pendant | 1 | 1 | on pendant 1 |
| MGAS-041 | OUTLET: oxygen (O2), on pendant | 1 | 2 | on pendant 2 |
| MGAS-041 | OUTLET: oxygen (O2), on pendant | 1 | 2 | on pendant 1 |
| MGAS-051 | OUTLET: scavenge, on pendant | 1 | 1 | on pendant 1 |
| MGAS-051 | OUTLET: scavenge, on pendant | 1 | 1 | on pendant 2 |
| MGAS-061 | OUTLET: suction, on pendant | 1 | 3 | on pendant 2 |
| MGAS-061 | OUTLET: suction, on pendant | 1 | 3 | on pendant 1 |
| ELPR-006 | RCD: residual current device | 1 | 3 | 1 to wall mounted services panel. LIM to be provided to UPS outlets only |

ALHA augustasian health infrastructure alliance connects Daugassense in secure search values resolutes



RDS Templates



Room Name

Procedure Room - Endoscopy

Room Number ENPR

| AusHFG code | Description | Group | Qty | Comment |
|-------------|------------------------------|-------|-----|---------------|
| MMSP-026 | SERVICES PANEL: wall mounted | 1 | 1 | flush mounted |
| ELBO-009 | SWITCH: "Laser in use" | 1 | 1 | |
| ELBO-016 | SWITCH: "X-Ray in use" | 1 | 1 | optional |
| ELPR-007 | UPS: status indicator | 1 | 1 | on pendant 1 |
| ELPR-007 | UPS: status indicator | 1 | 1 | on pendant 2 |



Page: 5 Print Date: 03/07/2018