

Room Name Meeting Room, 15m2

Room Number MEET-L-15

Revision

5

Issue Date

20.03.17

BRIEFING
Briefed Area

 15.00 m²
Hours of Operation

Available 24 Hours

Occupancy

Up to 12

Acoustics

Sound attenuation level high, Acoustic privacy is required.

Remarks
**Description /
Special Requirements**

The Medium & Large Meeting Rooms will accommodate staff and other meetings. It is a multipurpose room also used for tutorials, staff meetings, training or educational purposes. The room may be located in close proximity to a Beverage Bay.

SERVICES
General Requirements

BODY PROTECTED = No

CARDIAC PROTECTED = No

Air

AIRCONDITIONING = Yes

AIRCONDITIONING: hepa filtered = No

AIRCONDITIONING: positive pressure = No

AIRCONDITIONING: negative pressure = No

EXHAUST: room exhaust = No

VENTILATION = No

Lighting

LIGHTING: colour corrected = No

LIGHTING: dimmable = No

LIGHTING: downlights = No

LIGHTING: downlights, dimmable = Yes

LIGHTING: fluorescent, downlights = No

LIGHTING: fluorescent, flush with ceiling, tamper proof = No

LIGHTING: fluorescent, general = Yes

LIGHTING: indirect = No

Nurse Call

NURSE CALL SYSTEM = No

Room Fabrics

AusHFG code	Description	Comment
CLTI-002	CEILING: acoustic, drop-in tiles, 600 x 1200	
CLCN-002	CORNICE: aluminium, 24mm shadow angle, powdercoat	
DWGL-005	DOOR: 910mm c/o, single leaf, observation panel, solid core/glass, paint	lockable
DWSC-003	DOOR: 910mm c/o, single leaf, solid core, paint	egress door, optional
DWPR-003	DOOR PROTECTION: kickplate, to 300 AFFL, vinyl, prefinished	
FLCP-003	FLOOR FINISH: carpet, broadloom, 48 oz., 90/10 wool/nylon	
FLSK-009	SKIRTING: vinyl, feather edged, 150H, prefinished	
WLWA-004	WALL FINISH: paint, acrylic, washable	
DWWH-005	WINDOW	desirable

Fittings, Furniture and Equipment (FF&E) Items

AusHFG code	Description	Group	Qty	Comment
FIJO-059	BENCH TOP: 600D, joinery under, laminate finish	1	1	optional
FQCW-016	BIN: waste, general, 20L	3	1	
DWWD-006	BLIND: venetian	3	1	if window provided, 'grey-out' for audiovisual presentations
FQBS-017	CHAIR: meeting room	3	12	may be stackable

Room Name | Meeting Room, 15m2
Room Number MEET-L-15

AusHFG code	Description	Group	Qty	Comment
FQGE-005	CLOCK: analogue, battery operated	3	1	
FIJO-135	CUPBOARD: underbench, double door, adj shelves	1	1	optional
FIJO-140	CUPBOARD: underbench, single door, adj shelves	1	1	optional
FIJO-145	CUPBOARD: wall mount, double door, adj shelves, lockable	1	1	
FIJO-156	CUPBOARD: wall mount, single door, adj shelves	1	1	
FIBM-013	NOTICEBOARD: fixed, fabric covered	1	1	
ITAV-026	PROJECTOR: data, surface mounted	3	1	on table, optional
FQGE-069	SCREEN: projection, ceiling mounted, automatic	1	1	
FQTA-017	TABLE: rectangular 1200L x 900W, work height	3	2	smaller tables may be located together
ITNE-049	TELEPHONE: handset, desktop	3	1	immediately outside room entry
FIBM-018	WHITEBOARD: fixed	2	1	

Engineering Services

AusHFG code	Description	Group	Qty	Comment
ITSE-006	BUTTON: duress, fixed	1	1	optional
ITIN-143	FLOORBOX: for power, data, AV, flush mounted	1	1	optional
ELGP-203	GPO: double, in floorbox	1	2	optional
ELGP-208	GPO: double, wall mounted	1	3	one above bench if provided
ELGP-110	GPO: single, wall mounted, cleaner	1	1	as required
ITIN-022	OUTLET: data, double RJ45, in floorbox	1	1	optional
ITIN-026	OUTLET: data, double RJ45, wall mounted	1	1	
ITIN-016	OUTLET: data, single RJ45, wall mounted	1	1	optional, for video conferencing
ITIN-070	OUTLET: MATV	1	1	
ELBO-015	SWITCH: light, single	1	1	